

TSX:KOR OTCQX:CORVF

Precious Metals Summit
Corporate Presentation
A New Nevada High-Grade
Gold-Silver Deposit



Forward Looking Statements



This presentation contains forward-looking statements and forward-looking information (collectively, "forward-looking statements") within the meaning of applicable Canadian and US securities legislation. All statements, other than statements of historical fact, included herein including, without limitation, statements regarding the anticipated content, commencement and cost of exploration programs, anticipated exploration program results, the discovery and delineation of mineral deposits/resources/reserves, the intent of the Company to become a non-operator gold producing company with royalty interests, the Company's business and financing plans and business trends, are forward-looking statements. Information concerning mineral resource estimates and the preliminary economic analysis thereof also may be deemed to be forward-looking statements in that it reflects a prediction of the mineralization that would be encountered, and the results of mining it, if a mineral deposit were developed and mined.

The Company cautions investors that any forward-looking statements by the Company are not guarantees of future performance, and that actual results are likely to differ, and may differ materially, from those expressed or implied by forward-looking statements contained in this presentation. Such statements are based on a number of assumptions which may prove incorrect, including, but not limited to, assumptions about the level and volatility of the price of gold, the timing of the receipt of regulatory and governmental approvals, permits and authorizations necessary to implement and carry on the Company's planned exploration and potential development programs; the Company's ability to attract and retain key staff, the timing of the ability to commence and complete the planned work at the Company's projects, and the ongoing relations of the Company with its underlying property lessors and the applicable regulatory agencies.

Accordingly, the Company cautions that any forward-looking statements are not guarantees of future results or performance, and that actual results may differ materially from those set out in the forward-looking statements as a result of, among other factors, variations in the nature, quality and quantity of any mineral deposits that may be located, the Company's inability to obtain any necessary permits, consents or authorizations required for its activities, material adverse changes in economic and market conditions, changes in the regulatory environment and other government actions, fluctuations in commodity prices and exchange rates, the inability of the Company to raise the necessary capital for its ongoing operations, and business and operational risks normal in the mineral exploration, development and mining industries, as well as the risks and uncertainties disclosed in the Company's most recent Management Discussion and Analysis filed with certain provincial securities commissions in Canada available at www.sedar.com and the Company's most recent filings with the United States Securities and Exchange Commission (the "SEC") available at www.sec.gov. The Company undertakes no obligation to update publicly or release any revisions to these forward-looking statements to reflect events or circumstances after the date of this presentation or to reflect the occurrence of unanticipated events except as required by law. All subsequent written or oral forward-looking statements attributable to the Company or any person acting on its behalf are qualified by the cautionary statements herein.

Scientific or technical information contained herein is derived from the independent NI43-101 technical reports which include more detailed information with respect to the Company's properties, including the dates of such reports and the estimates included therein, details of quality and grade of each resource, details of the key assumptions, methods and parameters used in the resource estimates, a general discussion of the extent to which the resource estimates and the other estimates and projections included in the reports may be materially affected by any known environmental, permitting, legal, taxation, socio-political, marketing, or other relevant issues and you are urged to review such reports in their entirety. **Mineral resources that are not mineral reserves do not have any demonstrated economic viability.**

Cautionary Note to United States Investors

Unless otherwise indicated, all resource estimates contained in or incorporated by reference in this presentation have been prepared in accordance with National Instrument 43 101 - Standards of Disclosure for Mineral Projects ("NI 43-101") and the guidelines set out in the Canadian Institute of Mining, Metallurgy and Petroleum (the "CIM") Standards on Mineral Resource and Mineral Reserves, adopted by the CIM Council on November 14, 2004 (the "CIM Standards") as they may be amended from time to time by the CIM. United States investors are cautioned that the requirements and terminology of NI 43-101 and the CIM Standards differ significantly from the requirements and terminology of the SEC set forth in the SEC's Industry Guide 7 ("SEC Industry Guide 7"). Accordingly, the Company's disclosures regarding mineralization may not be comparable to similar information disclosed by companies subject to SEC Industry Guide 7. Without limiting the foregoing, while the terms "mineral resources", "inferred mineral resources" and "measured mineral resources" are recognized and required by NI 43-101 and the CIM Standards, they are not recognized by the SEC and are not permitted to be used in documents filed with the SEC by companies subject to SEC Industry Guide 7. Mineral resources which are not mineral reserves do not have demonstrated economic viability, and US investors are cautioned not to assume that all or any part of a mineral resource will ever be converted into reserves. Further, inferred resources have a great amount of uncertainty as to their existence and as to whether they can be mined legally or economically. It cannot be assumed that all or any part of the inferred resources will ever be upgraded to a higher resource category. Under Canadian rules, estimates of inferred mineral resources may not form the basis of a feasibility study or prefeasibility study, except in rare cases. The SEC normally only permits issuers to report mineralization that does not constitute SEC Industry Guide 7 compliant "reserves" as in

Note: All monetary values are USD unless otherwise stated.

The Corvus Gold Story





- Corvus Gold was spun out of International Tower Hill (ITH) in late 2010 as a vehicle for the team to pursue their passion and expertise "exploration & discovery" (team discovered and developed +20M ounce Livengood deposit and has +50M discovery ounces to their credit)
- ✓ Focused on high quality projects in stable jurisdiction
- ✓ North Bullfrog discovery evolved from diligent, high quality exploration in a known multimillion ounce Nevada gold District
- Discovery has emerged as one of the most significant new high-grade gold-silver discoveries in Nevada with exceptional growth potential

Management



Jeffrey Pontius Chief Executive Officer Director

Dr. Russell Myers President

Carl Brechtel Chief Operating Officer

Quentin Mai VP Business Development

Catherine Gignac

Steve Aaker Director

Ed Yarrow Director

- Previously CEO of International Tower Hill Mines and North American Explo. Manager at AngloGold Ashanti. Discovery record includes three mines (Elder Creek, Yankee, Cripple Creek) and two development projects, Livengood and North Bullfrog, totaling nearly 50M ounces of gold in resource.
- Experience includes VP of International Tower Hill Mines, Senior Geologist at AngloGold Ashanti & Goldfields and Economic Geology professor at James Cook University
- Mining engineer specializing in design & development of open pit & underground mines with extensive management experience with AngloGold Ashanti and others
- Extensive experience with successful junior company startups including First Quantum and International Tower Hill Mines
- Geologist and mining analyst with over 25 years experience, held positions as Managing Director Northland Capital & head mining analyst, Wellington West, Dundee UBS, RBC & Merrill Lynch
- Broad mining industry experience including 20 years with the Franco-Nevada group serving as Chief Operating Officer, U.S.
- Over 35 years exploration experience held position as VP Exploration at Anglo American PLC, Northern Hemisphere

Exploration
Discovery
Design
Development
Capital Markets

Strong Track Record for Delivering Shareholder Value

Share Structure



Share Capital (as of Sept 30, 2014)

- 75,565,028 shares outstanding
- 82,140,262 shares fully diluted
- Working Capital ~\$6.0M CDN
- Small float, ability to outperform increased exploration premium leverage
- No Warrants
- Strong Shareholder Base
- Market cap ~ \$71M CDN




Performance vs, GLD & GDXJ since inception of Corvus Gold



Major Shareholders (as of Sept, 2014)	Shares Held	%
Tocqueville Asset Management LP	14,079,879	18.6
AngloGold Ashanti Limited	11,698,876	15.5
Corvus Gold Management	6,469,720	8.6
Van Eck Global	3,050,000	4.0
Additional Institutional Ownership	1,281,000	1.7

Bullfrog District, Nevada






Walker Lane "Premier Nevada Gold Belt"

- Nevada is one of the premier mining jurisdictions globally
- Property located in one of the most prolific gold belts in the world for oxide, gold-silver deposits
- Over 50Mozs* of gold discovered & produced in Walker Lane
 - Several +2M ozs deposits including +10Moz Comstock & Round Mtn deposits
- North Bullfrog deposit is similar in age and setting to largest and most productive deposits in the Region

^{*} Historical non-Corvus gold production. Source: USGS





Bullfrog Gold District

- Historic Bullfrog Mine (operated 1989-2000)*
 - Open pit/underground mine
 - 2.5M ozs of gold produced
 @ 2.6 g/t gold & 6 g/t
 silver
 - CIL mill with 92% gold recovery
 - Cash costs of <\$200/oz</p>
- Gold-Silver endowment of North Bullfrog District now exceeding that of historic Bullfrog mine District




Corvus Gold high-Grade target trends

^{*} Historical non-Corvus gold production. Source: USGS

The Corvus Gold Asset North Bullfrog Project





100% ownership of mining rights on 68km²

- Bulk of resource on Federal unpatented mining claims (no royalty)
 - Jolly Jane & Mayflower Deposits have blended ~2.5% royalty
- Permitted for 120 acres of exploration disturbance
- Spent CDN\$24.5M to date on exploration/development
- +50,000m drilled completed on the project to date
- 12,000m core drill program@ high-grade YellowjacketDeposit for 2014
- Resource update early 2015 followed by PEA

High-grade Structural Targets



Bulk Tonnage Deposits

Exploration Potential




Yellowjacket

- Low-sulfidation epithermal high-grade vein adjacent to lower-grade deposit
- Mineralization occurs as:
 - 2-10 metre main vein
 - 10-40 metre peripheral stockwork zone
- System currently extends for ~1 km in strike length, over 250 metres in depth and remains open in all directions


Additional High-Grade Targets

- Mapping and geophysics outlined additional high-grade structural targets in the District similar to Yellowjacket.
- Highest priority:
 - 1. Savage Valley potential south extension of Yellowjacket another km, could double system size
 - 2. East Jolly Jane adjacent to large lower grade deposit much like the Yellowjacket setting
 - **3. Road Fault** is several km's of high level opalite alteration characteristic of upper Yellowjacket system




Exploration – Sierra Blanca - Yellowjacket High-Grade Exploration Targets





Exploration - Savage-Jolly Jane-Road Fault High-Grade Exploration Targets





New High-Grade Discovery -Yellowjacket Deposit





NB-14-400 (6.7m @ 73.4 g/t Au & 38 g/t Ag)



NB-12-138 (4.3m @ 20 g/t Au & 1,519 g/t Ag)




NB-13-344 (1.2m @ 50.1 g/t Au & 36.1 g/t Ag)



NB-13-347 (13.8m @ 7.2 g/t Au & 21 g/t Ag)

North Bullfrog Project Yellowjacket High-Grade Discovery






Yellowjacket structural zone contains multiple, near surface vein and stockwork zones

Yellowjacket Deposit - Long Section





Yellowjacket High-Grade Zones Select Drill Intercepts



Main Zone (in the April 2014 Resource estimate)

- 13-353 35.3m @ 2.8 g/t Au & 21.7 g/t Ag incl. 7.9m of 10.6 g/t Au & 105.6 g/t Ag
- 13-354 32.3m @ 3.8 g/t Au & 15.2 g/t Ag
 incl. 4.8m of 16.9 g/t Au & 74.5 g/t Ag
- 13-355 27.9m @ 3.6 g/t Au & 21.6 g/t Ag
 incl. 5.4m of 13.8 g/t Au & 76.1 g/t Ag
- 13-356 29.4m @ 6.9 g/t Au & 23.2 g/t Ag
- 13-359 65.1m @ 3.0 g/t Au & 23.8 g/t Ag
 incl. 12.6m of 8.5 g/t Au & 81.2 g/t Ag
- 13-370 41.7m @ 4.9 g/t Au & 29.7 g/t Ag incl. 4.9m @ 21.2 g/t Au & 117.0 g/t Ag

New Gap "Shoot Zone" (new expansion target)

- 14-400 35.9m @ 17.1 g/t Au & 19.5 g/t Ag incl. 6.7m @ 73.4 g/t Au & 38.4 g/t Ag
- 13-401 32m @ 4.9 g/t Au & 6.2 g/t Ag incl. 21.1m @ 6.9 g/t Au & 8.0 g/t Ag

North Zone (new expansion target)

- 13-368 33.3m @ 4.14 g/t Au & 39.2 g/t Ag
- 13-369 36.9m @ 3.2 g/t Au & 30.1 g/t Ag
 incl. 12.9m @ 4.1 g/t Au & 36.3 g/t Ag
- 14-391 17.6m @ 8.5 g/t Au & 33.5 g/t Ag
- 14-392 9.5m @ 1.9 g/t Au & 11.5 g/t Ag
 and 11.3m @ 3.3 g/t Au in new Rhyolite Zone

South Zone (new expansion target)

- 12-138 72.4m @ 1.74 g/t Au & 98.7 g/t Ag incl. 4.3m @ 20.0 g/t Au & 1,519 g/t Ag
- 12-183 49.0m @ 1.91 g/t Au & 43.0 g/t Ag incl. 1.7m @ 13.1 g/t Au & 549 g/t Ag
- 12-184 57.8m @ 1.7 g/t Au & 33 g/t Ag

West Zone (new resource addition zone)

- 14-378 9.2m @ 18.0 g/t Au & 260 g/t Ag
- 14-380 12.7m @ 5.6 g/t Au & 94 g/t Ag
- 13-347 84.8m @ 1.6 g/t Au & 10.1 g/t Ag
 incl. 13.8m @ 7.2 g/t Au & 21 g/t Ag

2014 Yellowjacket drill program is focused on extension of the system north, south and at depth with initial West Vein discovery indicating substantial resource expansion potential

*Intercepts calculated with 0.1g/t gold cutoff and up to 3 metres of internal waste. Reported drill intercepts are not true widths.

North Bullfrog - April 2014 Resource & Value (all

drilling through 2013)



Analysis of the sensitivity to gold price of the North Bullfrog mineralization inventory

(Tonnes and grade indicate the portions of the mineralization inventory estimated to fall within the Whittle™ pit and be scheduled to processing at various gold prices)

		Yellowjacket (milling)			Disseminated (heap leach)							
Whittle Pit Gold Price*	Resources Category	Cutoff* * (Gold g/t)	Tonnes (Mt)	Gold (g/t)	Silver (g/t)	Cutoff** (Gold g/t)	Tonnes (Mt)	Gold (g/t)	Silver (g/t)	Strip Ratio	Total Contained Au MOzs	Total Contained Ag MOzs
\$900	Indicated	0.38	2.0	1.53	9.05	0.18	15.1	0.32	0.47	0.62	0.26	0.81
	Inferred		8.8	1.39	10.01		91.1	0.22	0.73		1.04	4.98
\$1100	Indicated	0.32	2.8	1.23	6.80	0.15	22.6	0.30	0.46	0.64	0.33	0.96
	Inferred		12.4	1.17	8.06		152.7	0.20	0.71		1.44	6.72
\$1300	Indicated	0.29	3.7	1.03	5.52	0.13	25.8	0.29	0.45	0.72	0.36	1.03
	Inferred		18.4	0.94	6.16		186.0	0.19	0.68		1.68	7.74
\$1500	Indicated	0.25 3.9 21.8	3.9	1.00	5.30	0.11	29.4	0.28	0.43	0.84	0.39	1.07
	Inferred		21.8	0.86	5.47		217.8	0.18	0.67		1.86	8.51

^{*} Analysis assumes a fixed ratio of the gold to silver prices of 59

2014 drilling and resource expansion concentrated at Yellowjacket

Mr. Scott Wilson of Metal Mining Consultants, Inc., Mr. Gary Giroux of Giroux Consultants Ltd. and Mr. Herbert Osborne of H. C., Osborne & Associates, has acted as the independent Qualified Person as defined in NI 43-101 and produced the updated mineral resource estimate effective as at Mar. 25, 2014. The full NI 43-101 Technical Report is available on SEDAR. The Whitte Pit input parameters and assumptions can be seen on page 21.


See Cautionary Note to U.S. Investors



^{**} Breakeven grade derived from Whittle™ input parameters (on final page)

North Bullfrog - Mine Plan Potential for Simple, Low Risk, Low Cost, High Margin Operation





Conceptual Open Pit Mine Plan

- Potential low cost mine construction
- Deposits from hills = low strip ratio
- Envisions simple oxide, high-grade mill circuit with low-grade heap leach operation
- Coarse 100 mesh grind of high-grade with gravity and leaching has produced high Au & Ag recoveries similar to Bullfrog Mine

Advanced Pre-permitting

- Excellent infrastructure with power, water, highway at site and skilled local labor force
- Strong Federal, State and local permitting support
- Ownership of water right (1,600 acre ft/yr)
- Ongoing air, & water quality surveys, environmental & cultural studies

New mine/production plan will incorporate milling for high-grade Yellowjacket resources

Corvus Gold & Broader Gold Market



Producer Cost Focus Limits Internal Growth

Recent weak gold prices = drastic cuts in exploration limiting internal organic growth, focusing producers on acquisitions for new mines and resource replacement

Limited New Tier 1 Projects in Tight Gold Market

Producers looking for quality acquisition projects defined as:


- high margins (lowest quartile all in costs)
- low initial capital (<\$200M)
- safe jurisdictions (North America)
- high exploration potential for adding ounces

Build vs Sell - Impact on Shareholder Risk & Value

North Bullfrog is expanding its high-grade discovery rapidly in both size and quality. The projects projected low start-up cost, existing infrastructure and low permitting risk has uniquely positioned it as one of the highest quality, near-term development gold assets in North America

Gold Discoveries in Decline

Major gold discoveries, world mine production and discovery-oriented gold budgets, 1990-2012




ources: SNI_MEG's MineSearch database company reports. CPM Gold Yearbook 2014_SNI_MEG estimates.

Lack of Discoveries

Despite significant gold price and exploration spending increases over the past decade new discovery rates have drastically declined, gold deposits in safe jurisdictions are becoming increasing rare and more valuable.

Corvus Gold Investment Summary







Major New Nevada Gold-Silver Discovery

- Right type of gold-silver deposit in the right place
- Expanding high-grade potential in elephant country
- Exceptional and committed management team with proven track record of delivering shareholder value
- Turnkey mining project, rapid development at low capital costs to deliver high margin gold production

Strategy for Maximizing Shareholder Value

- Maximize high-grade potential with aggressive drill programs with low year round exploration costs
- Strong long-company, long-gold shareholder base provides positive price leverage for ongoing project news flow and higher gold prices
- Continue to enhance the value and development potential of the North Bullfrog deposit to make it one of the most attractive acquisition project in the world

Contact Information



CORVUS GOLD INC.

Vancouver Office:

1177 West Hastings St., Suite 2300 Vancouver, British Columbia Canada V6E 2K3 Telephone: (604)-638-3246

U.S. Office:

9137 S. Ridgeline Blvd., Suite 250 Highlands Ranch, CO 80129 USA Telephone: (303)-470-8700

For More Information:

Ryan Ko Investor Relations

Email: <u>info@corvusgold.com</u>

Phone: 604-638-3246

North Bullfrog - Whittle Pit Assumptions



WhittleTM Input Parameters used for the North Bullfrog Resource Estimation

Parameter	Unit	Mayflower*	Jolly Jane*	Sierra Blanca*	Yellowjacket **
Mining Cost	US\$/tonne	1.64	1.42	1.42	1.42
Au Cut-Off***	g/tonne	0.20	0.15	0.12	0.29
Processing Cost	US\$/tonne	1.72	1.72	1.72	9.00
Au Recovery	%	85.1	72.0	80.0	84.0
Ag Recovery	%	8.0	8.0	8.0	72.0
Administrative Cost	US\$/tonne	0.50	0.50	0.50	0.50
Refining & Sales	US\$/Au oz	5.00	5.00	5.00	5.00
Au Selling Price	US\$/oz	1,300	1,300	1,300	1,300
Ag:Au Price ratio	-	59	59	59	59
Slope Angle	Degrees	50	50	50	50

^{* -} assumes heap leach processing of disseminated mineralization

Corvus Gold and its independent qualified persons (QP's) as defined by NI 43-101 limits the estimated mineral resource to that portion of the geostatistically modeled mineralization inventory which is contained within a conceptual WhittleTM pit and scheduled to processing at a US \$1,300 gold price. The WhittleTM optimization process considers three parameters simultaneously, which are: the value of recoverable metal in each block in the mineral inventory; the costs of mining, processing and administration for that block; and the realistic geometrical development of the open pit. If the value exceeds the costs and the integrity of the pit is maintained then each block within the pit shell is scheduled either to the process stream or to waste.

The structurally controlled mineralization in the Yellowjacket Zone was modelled separately in several geologically defined domains to prevent smearing of high-grade mineralization into the surrounding blocks. For the purposes of estimating the mineral resource, the different Yellowjacket domains have been combined because of the geological similarities. Based on the current metallurgical data on Yellowjacket mineralization, it has been assumed that this material will be processed through a separate milling circuit and thus carries different processing costs and recoveries resulting in cut-off grades different than the heap leach processing. These additional costs and recoveries have been accounted for in the Whittle™pit analysis.

The disseminated mineralization at Sierra Blanca was modeled in a series of discrete volumes to prevent grade smearing across certain important grade-controlling faults. The disseminated oxide mineralization has been modeled based on Corvus' current metallurgy for heap leach processing with each block having an estimated heap leach recovery. The heap leach feed then carries the costs associated with heap leach processing as reflected by the cut-off grade.

 $^{** -} assumes \ CIL \ mill \ processing \ of \ Yellow jacket \ mineralization$

^{*** -} break-even grade derived from Whittle input parameters at US\$1,300 per ounce gold price, and Silver: Gold ratio of 59