

FORWARD LOOKING STATEMENTS

This presentation contains "forward-looking statements" within the meaning of Canadian securities legislation. Such forward-looking statements concern the Company's strategic plans, completion and exercise of the Tonopah option agreement, timing and expectations for the Company's exploration and drilling programs, estimates of mineralization from historic drilling, geological information projected from historic sampling results and the potential quantities and grades of the target zones. Such forward-looking statements or information are based on a number of assumptions, which may prove to be incorrect. Assumptions have been made regarding, among other things: conditions in general economic and financial markets; accuracy of historic assay results; geological interpretations from drilling results, timing and amount of capital expenditures; performance of available laboratory and other related services; future operating costs; and the historical basis for current estimates of potential quantities and grades of target zones. The actual results could differ materially from those anticipated in these forward-looking statements as a result of the risk factors including: the ability of the Company to complete the Tonopah lease option, the timing and content of work programs; results of exploration activities and development of mineral properties; the interpretation and uncertainties of historic mineral estimates, and other geological data; receipt, maintenance and security of permits and mineral property titles; environmental and other regulatory risks; project costs overruns or unanticipated costs and expenses; availability of funds; failure to delineate potential quantities and grades of the target zones based on historical data, and general market and industry conditions. Forward-looking statements are based on the expectations and opinions of the Company's management on the date the statements are made. The assumptions used in the preparation of such statements, although considered reasonable at the time of preparation, may prove to be imprecise and, as such, readers are cautioned not to place undue reliance on these forward-looking statements, which speak only as of the date the statements were made. The Company undertakes no obligation to update or revise any forward-looking statements included in this presentation if these beliefs, estimates and opinions or other circumstances should change, except as otherwise required by applicable law. Certain scientific and technical information relating to the Tonopah West Project is based on and derived from the NI 43-101 report prepared for Blackrock entitled "Technical Report and Estimate of Mineral Resources for the Tonopah West Silver-Gold Project, Nye and Esmeralda Counties, Nevada, USA" effective April 28, 2022 (the "Technical Report"). Certain scientific and technical information relating to the Silver Cloud Project is based on and derived from the NI 43-101 report prepared for Blackrock entitled "Technical Report on the Silver Cloud Property, Elko County, Nevada" effective January 27, 2023.

William C. Howald, Certified Professional Geologist and a qualified personas as defined under NI43-101, has reviewed and approved the contents of this presentation.

BLACKROCK

Tonopah West: Advanced Discovery

- Updated 2023 mineral resource estimate outlines 6.12M tonnes at block diluted grade of 508.5 g/t AgEq for 100.04M ounces AgEq **
- Resource Expansion Upside: Multiple deposits tracked across open vein corridor spanning 4km in strike length with large gaps (1.5km) remaining to infill to bridge deposits together as one.
- High-Grade: 508.5 g/t AgEq. block diluted. Meaningfully higher-grade than comparables. Robust at various cutoffs (400 g/t cutoff yields a~70.6M ounce resource at 777.5 g/t AgEq). Highest-grade undeveloped large silver project in the world.***
- Very Straightforward Metallurgy: average 95% gold and 87% silver; cyanide soluble with initial testing lining up with records from historic miners. All Precious Metals/No Base. Standard Milling/Dore: no concentrates or smelters required.
- **Private Land in Nevada:** Project comprised of patented mining claims, owned by the Company, directly off a highway, adjacent to the town of Tonopah.

Tonopah North: Emerging New Lithium Discovery

Adjacent to American Lithium's TLC Project****** Lithium values up to 1,660 ppm have been intercepted in drilling, with continuity of broad zones of mineralization across a 7.2 sq km area at surface

Silver Cloud: New Bonanza Discovery

BLACKROCKSILVER.COM | TSX-V: BRC | OTC: BKRRF | FSE: AHZO


New bonanza grade discovery: SBC22-020, intersected 70 g/t gold (2.0 opt) and 600 g/t silver (17.68 opt) over 1.5 metres in the Northwest Canyon area*****

*All historic production information from Nevada Bureau of Mines & Geology, Bulletin 51 Bulletin 92. US short tons have been converted to metric tonnes by multiplying short tons by 0.9072 AuEq = Salt Lake City (historic silver production times historic silver price) divided by historic gold price) plus historic gold production AgEq = (historic gold production times historic gold price) divided by historic silver price) plus historic silver production **Technical information relating to the Tonopah West Project is based on and derived from the NI 43-101 report prepared for Blackrock entitled "Technical Report and Estimate of Mineral Resources for the Tonopah West Silver-Gold Project, Nye and Esmeralda Counties, Nevada, USA" effective October 6, 2023 (the "Technical Report"). AgEq equivalent grade is based on silver and gold prices of US\$22/ounce/and US\$1850/ounce, respectively, and recoveries for silver and gold of 87% and 95%, respectively. ***Source: S&P Global; Company reports as of October TONOPAH 28, 2023. AgEq resources and grade reflect only silver and gold (M&I and I) resources (excludes base metals) for deposits larger than 70 million ounces AgEq. *****See news release dated January 10,2023 ***** See news release dated January 17, 2023 ******There is no assurance that mineralization comparable to that on adjacent properties will be discovered on Blackrock's Tonopah North Project Las Vegas ☆ Major Gold Deposit 250 km 125 Los Angeles **APRIL 2024 |**

SILVER EXPLORERS/DEVELOPERS BY GRADE & IN SITU MULTIPLES

Blackrock's mineral resource at 200g/t AgEq cutoff (100M AgEq ounces)

Compelling Value/Re-Valuation Upside: Blackrock's AgEq ounces currently trading at discount to high-grade peers



Notes:

- Total resource grade (g/t) and contained metal (M oz) is shown on a silver equivalent basis and only precious and base metals). Silver equivalent grade (g/t) and resources (M oz) are calculated using spot metal prices as of April 22, 2024 of US\$27.19/oz Ag, US\$2,326.63/oz Au, US\$4.50/lb Cu, US\$1.27/lb Zn and US\$0.97/lb Pb
- · Blackrock's mineral resource estimate is shown at a 200 g/t AgEq cut off. See the NI 43-101 report prepared for Blackrock entitled "Technical Report and Estimate of Mineral Resources for the Tonopah West Silver-Gold Project, Nye and Esmeralda Counties, Nevada, USA" effective October 5, 2023
- Shown as of April 22, 2024. Sourced from company reports and S&P Capital IQ for deposits greater than 80M AgEq ounces (MI+I)



SILVER EXPLORERS/DEVELOPERS BY GRADE & IN SITU MULTIPLES

Blackrock's mineral resource at 400g/t AgEq cutoff (70.6M AgEq ounces)



Notes:


- Total resource grade (g/t) and contained metal (M oz) is shown on a silver equivalent basis and only precious and base metals). Silver equivalent grade (g/t) and resources (M oz) are calculated using spot metal prices as of April 22, 2024 of US\$27.19/oz Ag, US\$2,326.63/oz Au, US\$4.50/lb Cu, US\$1.27/lb Zn and US\$0.97/lb Pb
- · Blackrock's mineral resource estimate is shown at a 400 g/t AgEq cut off. See the NI 43-101 report prepared for Blackrock entitled "Technical Report and Estimate of Mineral Resources for the Tonopah West Silver-Gold Project, Nye and Esmeralda Counties, Nevada, USA" effective October 5, 2023
- Shown as of April 22, 2024. Sourced from company reports and S&P Capital IQ for deposits greater than 80M AgEq ounces (MI+I)




TONOPAH SILVER DISTRICT

The Queen of the Silver Camps

- One of the largest historic silver districts in North America, producing 174 Mozs Ag & 1.8 Mozs Au from 7.5m tonnes
- Mined from underground from 1900 to 1930, with peak years producing up to 14,000,000oz/ year AgEq; Victor vein was 24m thick where production ceased
- Newly consolidated land package consists of 100 patented & 279 unpatented mining claims covering 25.5sq km (6,300 acres); largest claim package in Tonopah silver district
- First group to conduct exploration targeting historic workings; multiple historic mines on property




All historic production information from Nevada Bureau of Mines & Geology, Bulletin 51 and Bulletin 92. US short tons have been converted to metric tonnes by multiplying short tons by 0.9072 AgEq = (historic gold production times historic gold price) divided by historic silver price) plus historic silver production. Production figures representative of entire district.



 $\textbf{BLACKROCKSILVER.COM} \mid \ \text{TSX-V: BRC} \mid \ \text{OTC: BKRRF} \mid \ \text{FSE: AHZO}$

TONOPAH DISTRICT GOLD AND SILVER PRODUCTION

All historic production information from Nevada Bureau of Mines & Geology, Bulletin 51 and Bulletin 92. US short tons have been converted to metric tonnes by multiplying short tons by 0.9072 AuEq = (historic silver production times historic silver price) divided by historic gold price) plus historic gold production AgEq = (historic gold production times historic gold price) divided by historic silver price) plus historic silver production. Reported production from entire district.



Year	Tons	Tonnes	Gold Ounces	Silver Ounces
1900	1	0.9		
1901	2.534	2,298.8	9.774	623,510
1902	11,258	10,213.3	26,463	2,434,45
1903	9,055	8,214.7	25,298	2,404,180
1904	22,703	20,596.2	18,703	2,115,19
1905	91.651	83,145.8	58.357	5.369.439
1906	106,491	96,608.6	63,114	5,697,92
1907	214,608	194,692,4	57,250	5,330,398
1908	273,176	247,825.3	78,585	7,172,386
1909	278,743	252,875.6	67,742	7,872,96
1910	365,139	331,254.1	111,442	10,422,869
1911	404,375	366,849.0	114,479	10,868,268
1912				
	479,421	434,930.7	107,219	10,144,98
1913	574,542	521,224.5	126,445	11,563,43
1914	531,278	481,975.4	128,117	11,388,452
1915	516,337	468,420.9	107,836	10,171,374
1916	455,140	412,903.0	93,925	8,734,720
1917	470,122	426,494.7	74,481	7,068,73
1918	501,190	454,679.6	62,300	5,929,920
1919	268,658	243,726.5	37,339	3,568,87
1920	387,489	351,530.0	51,136	4,816,05
1921	367,909	333,767.0	48,335	4,623,90
1922	472,865	428,983.1	57,053	5,436,080
1923	371,946	337,429.4	53,571	5,176,30
1924	285,707	259,193.4	56,216	5,032,043
1925	197,409	179,089.4	33,073	3,070,409
1926	127,252	115,443.0	21,967	2,052,956
1927	125,790	114,116.7	22,256	2,167,69
1928	103,109	93,540.5	20,079	1,900,31
1929	121,447	110,176.7	20,059	1,965,59
1930	114,499	103.873.5	19.656	1,931,19
1931	16,534	14,999.6	9,583	823,872
1932	10,604	9,619.9	8,791	646,68
1933	4,786	4,341.9	4,679	400,379
1934	11.890	10.786.6	6,024	513.03
1935	196,710	178,455.3	10,708	874,860
1936	39.387	35,731.9	4.586	5,38
1937	118,407	107,418.8	11,289	916,51
1938		17,779.3	9,181	715,26
	19,598			
1939	18,767	17,025.4	6,925	596,173
1940	11,879	10,776.6	4,252	358,018
1941	11,243	10,199.6	4,121	377,534
1942	68,155	61,830.2	3,710	334,712
1943	5,123	4,647.6	1,709	159,14
1944	4,121	3,738.6	1,029	91,21
1945	1,845	1,673.8	596	48,434
1946	2,268	2,057.5	911	75,840
1947	1,993	1,808.0	941	76,09
1948	1,723	1,563.1	468	45,938
1949	91	82.6	38	3,81
1950	64	58.1	24	2,336

TONOPAH WEST: PICKING UP WHERE HISTORIC MINERS LEFT OFF

Amalgamation of West End Mining Company and Tonopah Extension Mining Company now owned 100% by Blackrock Silver. This property represents the 3rd largest producer in the district.


Purple - Tonopah Extension Mining Company land (in purple) has never been worked since 1928. Held by private individual until 2017. One hole drilled by Chevron in 1985.

Green - West End Mining Company explored by Howard Hughes, Houston Oil and Minerals, Eastfields. Discovery of the Three Hills deposit in 1996.

Yellow - Acquired from Lambertucci Roma of Nevada



Tonopah Silver District in 1912- BRC now controls western half BLACKROCKSILVER.COM | TSX-V: BRC | OTC: BKRRF | FSE: AHZ



100 patented mining claims and 83 unpatented mining claims

OCTOBER 2023 UPDATED MINERAL RESOURCE ESTIMATE

Area	AgEq cutoff g/t ⁽¹⁾	Tonnes	Bloo	k Diluted G	rade	Ounces of Silver	Ounces of Gold	Ounces of Silver	Classification ⁽⁴⁾
	cuton g/t		Silver g/t	Gold g/t	AgEq g/t (2)	Silvei	Gold	Equivalent ⁽³⁾	
Victor	200	2,193,000	262.2	3.11	547.4	18,484,000	219,000	38,589,000	Inferred
DP	200	1,592,000	194.8	2.63	435.9	9,970,000	134,000	22,305,000	Inferred
Bermuda	200	1,360,000	298.8	3.53	623.4	13,063,000	154,000	27,250,000	Inferred
NW Step Out	200	976,000	198.3	1.97	379.2	6,220,000	62,000	11,894,000	Inferred
TOTAL		6,119,000	242.6	2.9	508.5	47,738,000	570,000	100,038,000	Inferred

Silver was capped at 1,800 g/t, and gold was capped at 20 g/t.

Parameters Used	USD	Units
UG Mining	83	\$/t Mined
Processing	22	\$/t Processed
G&A	14	\$/t Processed
Refining	0.5	\$/oz Ag Produced
Silver Price	22	\$/ounce
Gold Price	1850	\$/ounce
Total	119	\$/t Processed
Effective AgEq Cut off	200	g/t Ag

¹ AgEq cutoff grade is based a total mining, processing and G&A cost of \$119/tonne.


² Silver Equivalent grade ratio used in this news of 84:1 is based on silver and gold prices of \$22/ounce and \$1,850/ounce, respectively, and recoveries for silver and gold of 87% and 95%, respectively. AgEq Factor= (Ag Price / Au Price) x (Ag Rec / Au Rec); g AgEq/t = g Ag/t + (g Au/t / AgEq Factor).

³Rounding as required by reporting guidelines may result in apparent discrepancies between tonnes, grade, and contained metal content.


⁴⁻Mineral resources are not mineral reserves and do not have demonstrated economic viability. There is no certainty that all or any part of the mineral resources estimated will be converted into mineral reserves. The quantity and grade of reported Inferred mineral resources in this estimation are uncertain in nature and there has been insufficient exploration to define these Inferred mineral resources as Indicated mineral resources. It is uncertain if further exploration will result in upgrading them to the Indicated mineral resources category. A technical report is being prepared on the Updated MRE in accordance with NI 431-101 (the "Technical Report") and will be available on the Company's website and on SEDAR+ within 45 days of the effective date of October 6, 2023

CLEAR RESOURCE EXPANSION POTENTIAL; CONVENTION UNDERGROUND MINING METHODS


- Step-out drilling has more than doubled the mineralized footprint beyond the April 2022 resource boundary
- Multiple deposits tracked across open vein corridor spanning 4km in strike length with large gaps (1.5km) remaining to infill to bridge deposits together as one
- The system also remains open to the south, northwest, at depth.
- Veins average 4.2m in thickness
- Project largely comprised of steeply dipping vein sets amenable to Long Hole Stoping, with Cut and Fill anticipated for lower angle areas.
- Discovery costs of only \$0.29/ounce AgEq*



**Technical information relating to the Tonopah West Project is based on and derived from the NI 43-101 report prepared for Blackrock entitled "Technical Report and Estimate of Mineral Resources for the Tonopah West Silver-Gold Project, Nye and Esmeralda Counties, Nevada, USA" effective October 6, 2023 (the "Technical Report").



WORLD CLASS RECOVERIES



BLACKROCKSILVER.COM | TSX-V: BRC | OTC: BKRRF | FSE: AHZO

Initial Met Test Work Lines Up With Historic Production Reports


- Amenable to standard cyanidation processing and milling with average recoveries of 95% Gold and 87% Silver;
- Gold recoveries range between 90% to 98% and Silver recoveries between 81% and 94%;
- The Merten vein returned an average Gold recovery of 96% and a Silver recovery of 90%; the high-grade Bermuda vein yielded average recoveries of 93.5% for Gold and 91% for Silver*

All historic production information from Nevada Bureau of Mines & Geology, Bulletin 51 Bulletin 92.



All of the historic production from the Tonopah silver district was from a **doré produced at** site; no need envisioned for costly extra steps to create a lead/zinc concentrate or requiring the involvement of a smelter.

*See news release dated January 6, 2022 APRIL 2024 | 12







WHY BRC?

Creating Value Through Discovery:

BLACKROCK

High-Grade Gold, Silver & Lithium in the Heart of Nevada

Tonopah West & Tonopah North

- Newly consolidated land package consists of ownership of 100 patented & 279 unpatented mining claims covering 25.5sq km (6,300 acres) in **one of largest known high-grade silver districts in North America.**
- With delivery of our second mineral resource estimate within three years of our initial discovery, we have outlined 6.12M tonnes grading 508.5 g/t AgEq for 100.04Mounces with clear resource expansion potential*
- Tonopah West is the highest-grade undeveloped project of size in the silver space globally**
- 2024 work program focused on advancing and de-risking the project towards a maiden Preliminary Economic Analysis (PEA), with metallurgical, engineering and hydrologic studies underway.
- Tonopah North lithium discovery under US\$15,000,000 option earn-in agreement with Tearlach Resources to establish 70/30 JV **

Silver Cloud

- Three core holes totalling 1,447 metres (4,746 ft) across two target areas on the Silver Cloud project completed in November 2022, leading to new bonanza grade discovery***
- SBC22-020 intersected 70 g/t gold (2.0 opt) and 606 g/t silver (17.68 opt) over 1.5 metres, along a drill-defined structure tracked over 425 metres


Team

• Good Governance - Exploration +Mine Building + Financial Expertise on Board - Strong Historical Experience (Equinox Gold, Placer Dome, Endeavour Mining, BMO Capital Markets, Canaccord)

*Information relating to the Tonopah West Project is based on and derived from the NI 43-101 report prepared for Blackrock entitled "Technical Report and Estimate of Mineral Resources for the Tonopah West Silver-Gold Project, Nye and Esmeralda Counties, Nevada, USA" effective October 6, 2023 (the "Technical Report"). AgEq equivalent grade is based on silver and gold prices of US\$22/ounce and US\$1850/ounce, respectively, and recoveries for silver and gold of 87% and 95%, respectively. **See news release dated January 10,2023. **According to S&P Global Intelligence for AgEq MI+I deposits greater than 80m ounces as of January 27, 2024.

TONOPAH NORTH LITHIUM

- Large land package consists of 260 unpatented mining claims covering 20 sq km adjacent to Tonopah West vein system to south and American Lithium's TLC Project to northwest, representing the crossroads between where the Tonopah silver district intersects with the Tonopah lithium belt
- Option earn-in agreement established with Tearlach Resources with cumulative exploration expenditures of US\$15,000,000 and delivery of a feasibility study within 5 years to establish 70/30 JV on lithium minerals*
- An 11 core drillhole exploration program to confirm Blackrock's original discovery, in addition to significant step-out drilling was recently completed; Assays Pending
- Initial assays from first 8 drillholes from Tearlach's core program confirmed the discovery, with grades from twin holes coming in 40-85% higher grade than original RC drilling across an area stretching 2.6 km by 2.8 km
- Initial core step-out assays have established broad thick zones of mineralization across an area of 7.2km sq, with results up to 1,660 ppm Li
- Bordering American Lithium's TLC deposit (maiden PEA outlined a positive investment base case after-tax NPV(8%) US\$3.26 Billion & After-tax IRR of 27.5%), the Tonopah North (Gabriel project) shows similar lithium-bearing lithologic horizons and similar potential to host a significant lithium deposit immediately adjacent to a major highway, US95, and just outside of the town of Tonopah.
- DPB vein system tracked to Tonopah West- Tonopah North property boundary and remains open to NW BLACKROCKSILVER.COM | TSX-V: BRC | OTC: BKRRF | FSE: AHZO



APRIL 2024 | **15**

TONOPAH WEST PROJECT



Ranch hand and part-time prospector Jim Butler and his trusty mule stumble on silverrich veins near Tonopah Springs in the spring of 1900

*All historic production information from Nevada Bureau of Mines & Geology, Bulletin 51 and Bulletin 92. US short tons have been converted to metric tonnes by multiplying short tons by 0.9072 AgEq = (historic gold production times historic gold price) divided by historic silver price) plus historic silver production Historic production representative of entire distric



BLACKROCKSILVER.COM | TSX-V: BRC | OTC: BKRRF | FSE: AHZO



- Tonopah: A high-grade low sulfidation epithermal district
- Production: ~1.86 Moz Au, 174 Moz Ag from 7.45m tonnes
- Silver Primary District: 100 to 1 Silver/Gold ratio
- Tonopah West: 1st ever consolidated ownership
- High Grade: 50 years of historic production averaged
 1,384 g/t silver and 16 g/t gold
- Tailings: Tonopah Extension Mill Tailings and mine dumps

OCTOBER 2023 UPDATED MINERAL RESOURCE ESTIMATE


Robust and Sizeable Resource At All Cut Offs


	All Tonopah West Resource Cut Off Sensitivty												
Cutoff Grade g AgEq/t	Tonnes	Ave. AgEq Grade g AgEq/t	Ave. Ag Grade g Ag/t Au/t		Contained oz Ag	Contained oz Au	Contained oz AgEq						
200	6,119,000	508.5	242.6	2.9	47,738,000	570,000	100,038,000						
250	4,807,000	586.4	276.5	3.4	42,728,000	522,000	90,625,000						
300	3,928,000	656.3	307.0	3.8	38,771,000	480,000	82,886,000						
400	2,827,000	777.5	358.1	4.6	32,548,000	415,000	70,659,000						



^{**}Technical information relating to the Tonopah West Project is based on and derived from the NI 43-101 report prepared for Blackrock entitled "Technical Report and Estimate of Mineral Resources for the Tonopah West Silver-Gold Project, Nye and Esmeralda Counties, Nevada, USA" effective October 6, 2023 (the "Technical Report").

TONOPAH DISTRICT & TONOPAH WEST GEOLOGY MAP






<u>Underground workings</u>

- 55 Km (34 mi)
- 4 main levels 800, 1200, 1540 & 1880
- No stoping below 1540 level in DPB
- Mining stopped because of technical issues

SILVER CLOUD


The Richest Gold Mining Area In North America

- Large land package consists of 572 mining claims covering 45sq km (+12,000 acres)
- Centered on the Northern Nevada Rift, adjacent to Hecla's Hollister mine
- 3 core drillhole programme completed in November 2022 led to Nevada's newest bonanza grade discovery: SBC22-020 intersected 70 g/t gold (2.0 opt) and 600 g/t silver (17.68 opt) over 1.5 metres in the Northwest Canyon area*
- SBC22-020 was directed at a conceptually projected structure based on results received from Blackrock's SBC19-002 (8.32 g/t gold over 1.52m) and Placer Dome's SCP-15 (5.61 g/t gold over 12.2m). These assay intercepts represent a high-grade drill defined structure separated by 425 metres



*See news release dated January 17, 2023

There is no assurance that mineralization comparable to that on adjacent properties will be discovered on Blackrock's Silver Cloud Project



Capitalization and Balance Sheet (C\$)										
Shares Issued	223,044,896									
Fully Diluted	263,888,845									
Market Cap (@ C\$0.33 as of April 22 nd , 2024)	C\$73.6M									
Recent Financing : Closed January 26th, 2024	C\$5.75M									
52 Week High/Low	C\$0.44/C\$0.19									

BLACKROCKSILVER.COM | TSX-V: BRC | OTC: BKRRF | FSE: AHZO

TSX-V: BRC | OTC: BKRRF | FSE: AHZ0



Analyst Coverage



CLOUD





Stuart McDougall

Taylor Combaluzier

Phil Ker

Ron Stewart




LS EPITHERMAL PATHFINDERS: HISTORIC MERCURY MINES


- Mercury and arsenic are the ultimate pathfinder elements for low-sulphidation epithermal gold deposits
- The Silver Cloud project is named after the past producing Silver Cloud gold mine where past high-grade intercepts were encountered by Teck and Placer Dome
- The property hosts another past producing mercury mine on the northeastern section, directly adjacent to Hecla's Hollister Mine.
 This area has never seen any drilling, and with 8 exposed veins found at surface it is now a priority target for Blackrock

There is no assurance that mineralization comparable to that on adjacent properties will be discovered on Blackrock's Silver Cloud Project





BLACKROCKSILVER.COM | TSX-V: BRC | OTC: BKRRF | FSE: AHZO





COMPARISON OF MIDAS & HOLLISTER MINES






Midas Mine

- NNW-NW oriented veins
- Productive zone between 4500 and 5500 ft RL
- Volcanic hosted Miocene Elko Prince
- Veins 1.5m to 3m wide BLACKROCKSILVER.COM| TSX-V: BRC | OTC: BKRRF | FSE: AHZO

There is no assurance that mineralization comparable to that on adjacent properties will be discovered on Blackrock's Silver Cloud Project



5000 ft RL



Hollister Mine

- E-W oriented veins
- Productive zone between 4750 and 5250 ft RL
- Sediment hosted Ordovician Vinni Fm.
- Veins 1m to 2m wide

APRIL 2024 | 23

LEADERSHIP

Bill Howald

Executive Chairman

William (Bill) Howald is a successful entrepreneur who founded several public companies as well as led the exploration division of a major mining company. To date, Bill has raised approximately \$300 million in project financing. Prior to creating junior mining companies, he was General Manager of Exploration, United States and Latin America, for Placer Dome Inc. During his tenure at Placer Dome, Mr. Howald was an integral part of the teams that delivered over 100Mozs of gold resources where he also oversaw the last systematic drilling campaign done on Silver Cloud. He is a Certified Professional Geologist, and a Qualified Person as defined by NI 43-101.

Andrew Pollard

President & CEO, Director

Prior to joining Blackrock as President & CEO in 2019, Andrew Pollard had established himself as a sought-after management consultant within the mining industry. Mr. Pollard founded the Mining Recruitment Group Ltd (MRG) in 2006 and has amassed a "Who's Who" network in the mining & finance world, leveraging his personal relationships to help shape what have become some of the most prominent and successful resource companies. In a sector where management is crucial, he has served as a trusted advisor to exploration companies and producers ranging in size from seed round through to over \$100 billion in market capitalization.

Daniel Vickerman

SVP Corporate Development, Director

Mr. Vickerman is a seasoned institutional sales and corporate finance professional with 25 years of experience in the financial industry and formerly, Managing Director, Head of UK of Beacon Securities UK and former Managing Director, Head of UK for Edgecrest Capital. Prior to joining Edgecrest Capital UK, Mr. Vickerman was Managing Director, Co-Head of Canadian Equity Sales UK at Canaccord Genuity Corp. Mr. Vickerman also formerly worked at Thomas Weisel Partners Group Inc. where he served as Senior Vice President. Daniel spent over 4 years at a London based Alternative asset manager with over \$400 million AUM, trading commodities and FX. Mr. Vickerman has extensive experience working with mineral exploration and development companies, raising over \$1bln for private and listed companies.

He holds a Bachelor of Arts, Economics from the University of Western Ontario and currently serves as an Independent Director of Discovery Metals Corp.



BLACKROCKSILVER.COM | TSX-V: BRC | OTC: BKRRF | FSE: AHZO

LEADERSHIP

David Laing

Director

David Laing is a mining engineer with 40 years of experience in the industry. He is an independent mining executive. David was formerly the COO of Equinox Gold, with gold projects in Brazil and California, COO of True Gold Mining which developed a gold heap leaching operation in Burkina Faso, and COO and EVP of Quintana Resources Capital, a base metals streaming company. David was also one of the founding executives of Endeavour Mining, a gold producer in West Africa.

Prior to these recent roles, David held senior positions in mining investment banking and debt advisory at Endeavour Financial, and Standard Bank in New York.

Mr. Laing currently serves as Independent Director of Fortuna Silver Mines Inc., Northern Dynasty Minerals Ltd, and Aton Resources Inc. He also serves as an Advisor to Endeavour Financial Ltd.

Tony Wood

Director

Tony Wood currently serves as Chief Financial Officer of Aurania Resources Inc. Mr. Wood's executive experience includes oversight of finance and operations of various publicly-traded exploration, development, and production staged resource companies. Over the last 20 years, he has successfully completed close to \$1billion in financing and M&A transactions in the mining industry. Mr. Wood has a proven record of success with strategic planning, organizational development, and company transformations. He has been instrumental in achieving performance and value growth across diverse commodities, countries and market conditions

Mr. Wood is an honours graduate, Management Sciences (Marketing) B.Sc. from the University of Lancaster, U.K., and a qualified Chartered Accountant in the UK and Canada.

Edie Thome

Director

Ms. Edie Thome brings a wealth of senior leadership and board experience specifically in the area of ESG as it relates to strategy, operations and projects. Her work experience includes government relations, governance, environmental permitting and compliance as well as on-theground experience working with First Nations and Indigenous groups, stakeholders, elected officials and land owners on projects and operations in the natural resource sector.

Ms. Thome was the President & Chief Executive Officer of The Association for Mineral Exploration (AME) in Vancouver, British Columbia. Prior to that appointment, as the Director - Environment, Permitting and Compliance, Aboriginal Relations and Public Affairs at BC Hydro, she was responsible for permitting and compliance, Aboriginal relations and government/public affairs for the Site C Clean Energy Project.

Currently, Ms. Thome serves as an independent director for Wesdome Gold Mines Ltd., as well as a consulting advisor to industries integral to global economies.

Andrew Kaip

Lead Director

Mr. Kaip brings over 25 years of experience within the mining business as an executive, geologist, and equity analyst covering the precious metals sector. He currently serves as President and CEO of Karus Gold and a Director of VOX Royalty. Prior to these appointments, he served as Managing Director at BMO Capital Markets where he was co-head of global mining research. In 2010, Mr. Kaip initiated coverage of the silver equities for BMO Capital Markets. During his tenure as their silver analyst, Mr. Kaip was consistently ranked the top Small/Mid Cap Precious Metal analyst by Brendan Wood International. Prior to mining research, Mr. Kaip was a geologist working on projects throughout North, South and Central America. Mr. Kaip is a Professional Geoscientist and holds a B.Sc. in Geology and Earth Science, from Carlton University and a Master's in Geology and Earth Science, from the University of British Columbia.





ADDENDUM - SIGNIFICANT INTERCEPTS

BLACKROCK

TW20-001 Victor Vein 554.7 557.8 3.0 2.435 221.3 464.8 TW20-001 Victor Vein 560.8 563.9 3.0 11.518 1046.1 2197.9 Including 560.8 562.4 1.5 18.667 1736.7 3603.4 TW20-001 Victor Vein 574.5 603.5 29.0 5.291 435.7 964.8 Including 582.2 592.8 10.7 7.941 623.1 1417.2 TW20-001 Victor Vein 612.6 615.7 3.0 1.925 135.1 327.6 TW20-005 DPB 402.3 403.9 1.5 1.630 182.3 345.3 TW20-006 DPB 327.8 227.4 1.5 8.680 802.6 1670.6 TW20-006 DPB 327.7 329.2 1.5 2.170 182.3 345.3 TW20-006 DPB 327.7 329.2 1.5 2.170 163.0 380.0 T								
TW20-001 Victor Vein 560.8 563.9 3.0 11.518 1046.1 2197.9 Including 560.8 562.4 1.5 18.667 1736.7 3603.4 TW20-001 Victor Vein 574.5 603.5 22.0 5.291 435.7 964.8 Including 582.2 592.8 10.7 7.941 623.1 1417.2 TW20-001 Victor Vein 612.6 615.7 3.0 1.925 135.1 327.6 TW20-003 Victor Vein 702.6 704.1 1.5 1.890 140.0 329.0 TW20-005 DPB 402.3 403.9 1.5 1.630 182.3 345.3 TW20-006 DPB 275.8 277.4 1.5 8.680 802.6 1670.6 TW20-006 DPB 321.6 326.1 4.6 9.036 673.1 1576.7 Including 323.1 326.1 3.0 12.633 952.0 2215.3 TW20-006 DPB 327.7 329.2 1.5 2.170 163.0 380.0 TW20-007 DPB 484.6 486.2 1.5 2.060 180.8 336.8 TW20-008 New Discovery 242.3 243.8 1.5 3.430 218.6 561.6 TW20-012 Victor Vein 581.9 583.4 1.5 2.670 223.5 490.5 TW20-016 Step Out 233.2 234.7 1.5 4.840 5.3 489.3 TW20-016 Step Out 337.9 309.4 1.5 1.780 144.6 322.6 TW20-017 DPB 374.9 376.4 3.1 13.962 1070.2 2466.3 Including 376.4 378.0 1.5 2.840 221.9 505.9 TW20-020C Victor 585.2 586.7 1.5 2.840 221.9 505.9 TW20-020C Victor 585.2 586.7 1.5 4.750 334.5 809.5 TW20-020C Victor 521.5 523.1 1.6 2.050 210.0 415.0 TW20-024C Victor 521.5 523.1 1.6 2.050 210.0 415.0 TW20-024C Victor 573.3 574.7 1.4 3.550 405.0 761.0 TW20-027 DPB 474.0 478.6 4.5 1.530 131.6 284.7 TW20-027 DPB 474.0 478.6 4.5 1.530 133.0 288.0 TW20-027 DPB 474.0 478.6 4.5 1.530 133.0 288.0 TW20-027 DPB	HOLEID	Area	From (m)	To (m)	Length (m)	Au_g/t	Ag_g/t	AgEq_g/t
Including								
TW20-001 Victor Vein 574.5 603.5 29.0 5.291 435.7 964.8 Including 582.2 592.8 10.7 7.941 623.1 1417.2 TW20-001 Victor Vein 612.6 615.7 3.0 1.925 135.1 327.6 TW20-003 Victor Vein 702.6 704.1 1.5 1.890 140.0 329.0 TW20-005 DPB 402.3 403.9 1.5 1.630 182.3 345.3 TW20-006 DPB 275.8 277.4 1.5 8.680 802.6 1670.6 TW20-006 DPB 321.6 326.1 4.6 9.036 673.1 1576.7 Including 323.1 326.1 3.0 12.633 952.0 2215.3 TW20-006 DPB 327.7 329.2 1.5 2.170 163.0 380.0 TW20-007 DPB 484.6 486.2 1.5 2.060 180.8 366.8 TW20-008 New Discovery 242.3 243.8 1.5 3.430 218.6 561.6 TW20-012C Victor Vein 581.9 583.4 1.5 2.670 223.5 490.5 TW20-016 Step Out 337.9 309.4 1.5 1.780 144.6 322.6 TW20-016 Step Out 385.6 387.1 1.5 3.220 231.7 553.7 TW20-017 DPB 374.9 376.4 3.1 13.962 1070.2 2466.3 Including 376.4 378.0 1.5 2.840 221.9 505.9 TW20-020C Victor 585.2 586.7 1.5 4.750 334.5 589.5 TW20-021C Victor 580.2 583.1 1.6 2.050 210.0 485.0 TW20-021C Victor 580.0 582.4 2.4 3.3948 364.0 758.8 TW20-027 DPB 474.0 475.5 1.5 1.550 12						11.518	1046.1	
Including	Inclu	uding	560.8	562.4	1.5	18.667	1736.7	3603.4
TW20-001 Victor Vein 612.6 615.7 3.0 1.925 135.1 327.6 TW20-003 Victor Vein 702.6 704.1 1.5 1.890 140.0 329.0 TW20-005 DPB 402.3 403.9 1.5 1.630 182.3 345.3 TW20-006 DPB 275.8 277.4 1.5 8.680 802.6 1670.6 TW20-006 DPB 321.6 326.1 4.6 9.036 673.1 1576.7 Including 323.1 326.1 3.0 12.633 952.0 2215.3 TW20-006 DPB 327.7 329.2 1.5 2.170 163.0 380.0 TW20-006 DPB 484.6 486.2 1.5 2.060 180.8 386.8 TW20-007 DPB 484.6 486.2 1.5 2.060 180.8 386.8 TW20-012 C Victor Vein 581.9 583.4 1.5 2.670 223.5 490.5			574.5	603.5	29.0	5.291	435.7	964.8
TW20-003 Victor Vein 702.6 704.1 1.5 1.890 140.0 329.0 TW20-005 DPB 402.3 403.9 1.5 1.630 182.3 345.3 TW20-006 DPB 275.8 277.4 1.5 8.680 802.6 1670.6 TW20-006 DPB 321.6 326.1 4.6 9.036 673.1 1576.7 Including 323.1 326.1 3.0 12.633 952.0 2215.3 TW20-006 DPB 327.7 329.2 1.5 2.170 163.0 380.0 TW20-007 DPB 484.6 486.2 1.5 2.060 180.8 386.8 TW20-018 New Discovery 242.3 243.8 1.5 3.430 2218.6 561.6 TW20-016 Step Out 387.1 1.5 4.840 5.3 489.3 TW20-016 Step Out 385.6 387.1 1.5 3.20 231.7 553.7 TW20-017	Inclu	uding	582.2	592.8	10.7	7.941	623.1	1417.2
TW20-005 DPB 402.3 403.9 1.5 1.630 182.3 345.3 TW20-006 DPB 275.8 277.4 1.5 8.680 802.6 1670.6 TW20-006 DPB 321.6 326.1 4.6 9.036 673.1 1576.7 Including 323.1 326.1 3.0 12.633 952.0 2215.3 TW20-006 DPB 327.7 329.2 1.5 2.170 163.0 380.0 TW20-007 DPB 484.6 486.2 1.5 2.060 180.8 386.8 TW20-008 New Discovery 242.3 243.8 1.5 3.430 218.6 561.6 TW20-012C Victor Vein 581.9 583.4 1.5 2.670 223.5 490.5 TW20-016 Step Out 307.9 309.4 1.5 1.780 144.6 322.6 TW20-016 Step Out 385.6 387.1 1.5 3.20 231.7 553.7	TW20-001	Victor Vein	612.6	615.7	3.0	1.925	135.1	327.6
TW20-006 DPB 275.8 277.4 1.5 8.680 802.6 1670.6 TW20-006 DPB 321.6 326.1 4.6 9.036 673.1 1576.7 Including 323.1 326.1 3.0 12.633 952.0 2215.3 TW20-006 DPB 327.7 329.2 1.5 2.170 163.0 380.0 TW20-007 DPB 484.6 486.2 1.5 2.060 180.8 386.8 TW20-012C Victor Vein 581.9 583.4 1.5 2.670 223.5 490.5 TW20-016 Step Out 337.2 233.2 234.7 1.5 4.840 5.3 489.3 TW20-016 Step Out 365.6 387.1 1.5 1.780 144.6 322.6 TW20-017 DPB 374.9 376.4 3.1 13.962 1070.2 2466.3 Including 376.4 378.0 1.5 26.133 2029.8 4643.1	TW20-003	Victor Vein	702.6	704.1	1.5	1.890	140.0	329.0
TW20-006 DPB 321.6 326.1 4.6 9.036 673.1 1576.7 Including 323.1 326.1 3.0 12.633 952.0 2215.3 TW20-006 DPB 327.7 329.2 1.5 2.170 163.0 380.0 TW20-007 DPB 484.6 486.2 1.5 2.060 180.8 386.8 TW20-012C Victor Vein 581.9 583.4 1.5 3.430 218.6 561.6 TW20-016 Step Out 233.2 234.7 1.5 4.840 5.3 489.3 TW20-016 Step Out 337.9 309.4 1.5 1.780 144.6 322.6 TW20-016 Step Out 337.9 309.4 1.5 3.220 231.7 553.7 TW20-017 DPB 374.9 376.4 3.1 13.962 1070.2 2466.3 Including 376.4 378.0 1.5 26.133 2029.8 4643.1 TW20-017 <td>TW20-005</td> <td>DPB</td> <td>402.3</td> <td>403.9</td> <td>1.5</td> <td>1.630</td> <td>182.3</td> <td>345.3</td>	TW20-005	DPB	402.3	403.9	1.5	1.630	182.3	345.3
Including	TW20-006	DPB	275.8	277.4	1.5	8.680	802.6	1670.6
TW20-006 DPB 327.7 329.2 1.5 2.170 163.0 380.0 TW20-007 DPB 484.6 486.2 1.5 2.060 180.8 386.8 TW20-008 New Discovery 242.3 243.8 1.5 3.430 218.6 561.6 TW20-012C Victor Vein 581.9 583.4 1.5 2.670 223.5 490.5 TW20-016 Step Out 233.2 234.7 1.5 4.840 5.3 489.3 TW20-016 Step Out 307.9 309.4 1.5 1.780 144.6 322.6 TW20-016 Step Out 385.6 387.1 1.5 3.200 231.7 553.7 TW20-017 DPB 374.9 376.4 3.1 13.962 1070.2 2466.3 Including 376.4 378.0 1.5 26.133 2029.8 4643.1 TW20-017 DPB 440.4 442.0 1.5 2.840 221.9 505.9 <t< td=""><td>TW20-006</td><td>DPB</td><td>321.6</td><td>326.1</td><td>4.6</td><td>9.036</td><td>673.1</td><td>1576.7</td></t<>	TW20-006	DPB	321.6	326.1	4.6	9.036	673.1	1576.7
TW20-007 DPB 484.6 486.2 1.5 2.060 180.8 336.8 TW20-008 New Discovery 242.3 243.8 1.5 3.430 218.6 561.6 TW20-012C Victor Vein 581.9 583.4 1.5 2.670 223.5 490.5 TW20-016 Step Out 337.9 309.4 1.5 1.780 144.6 322.6 TW20-016 Step Out 385.6 387.1 1.5 1.202 231.7 553.7 TW20-016 Step Out 385.6 387.1 1.5 1.202 231.7 553.7 TW20-017 DPB 374.9 376.4 3.1 13.962 1070.2 2466.3 Including 376.4 378.0 1.5 2.840 221.9 505.9 TW20-0217 DPB 440.4 442.0 1.5 2.840 221.9 505.9 TW20-0217 DPB 440.4 442.0 1.5 2.840 221.9 505.9 <	Inclu	uding	323.1	326.1	3.0	12.633	952.0	2215.3
TW20-008 New Discovery 242.3 243.8 1.5 3.430 218.6 561.6 TW20-012C Victor Vein 581.9 583.4 1.5 2.670 223.5 490.5 TW20-016 Step Out 233.2 234.7 1.5 4.840 5.3 489.3 TW20-016 Step Out 307.9 309.4 1.5 1.780 144.6 322.6 TW20-016 Step Out 385.6 387.1 1.5 3.200 231.7 553.7 TW20-017 DPB 374.9 376.4 3.1 13.962 1070.2 2466.3 Including 376.4 378.0 1.5 2.6133 2029.8 4643.1 TW20-017 DPB 440.4 442.0 1.5 2.840 221.9 505.9 TW20-020C Victor 582.2 586.7 1.5 4.750 334.5 809.5 TW20-020C Victor 592.2 593.1 0.9 19.000 435.5 785.5 <td>TW20-006</td> <td>DPB</td> <td>327.7</td> <td>329.2</td> <td>1.5</td> <td>2.170</td> <td>163.0</td> <td>380.0</td>	TW20-006	DPB	327.7	329.2	1.5	2.170	163.0	380.0
TW20-012C Victor Vein 581.9 583.4 1.5 2.670 223.5 490.5 TW20-016 Step Out 233.2 234.7 1.5 4.840 5.3 489.3 TW20-016 Step Out 307.9 309.4 1.5 1.780 144.6 322.6 TW20-016 Step Out 385.6 387.1 1.5 3.220 231.7 553.7 TW20-017 DPB 374.9 376.4 3.1 13.962 1070.2 2466.3 Including 376.4 378.0 1.5 26.133 2029.8 4643.1 TW20-017 DPB 440.4 442.0 1.5 2.840 221.9 505.9 TW20-020C Victor 582.2 593.1 0.9 19.000 1634.4 3534.4 TW20-020C Victor 621.2 624.2 3.0 3.500 435.5 785.5 TW20-021C Victor 621.2 624.2 3.0 3.500 435.5 785.5	TW20-007	DPB	484.6	486.2	1.5	2.060	180.8	386.8
TW20-016 Step Out 233.2 234.7 1.5 4.840 5.3 489.3 TW20-016 Step Out 307.9 309.4 1.5 1.780 144.6 322.6 TW20-016 Step Out 385.6 387.1 1.5 3.220 231.7 553.7 TW20-017 DPB 374.9 376.4 3.1 13.962 1070.2 2466.3 TW20-017 DPB 440.4 442.0 1.5 26.133 2029.8 4643.1 TW20-020C Victor 585.2 586.7 1.5 2.840 221.9 505.9 TW20-020C Victor 585.2 586.7 1.5 4.750 334.5 809.5 TW20-020C Victor 592.2 593.1 0.9 19.000 1634.4 3534.4 TW20-021C Victor 621.2 624.2 3.0 3.500 485.5 785.5 TW20-021C Victor 521.5 523.1 1.6 2.050 210.0 415	TW20-008	New Discovery	242.3	243.8	1.5	3.430	218.6	561.6
TW20-016 Step Out 307.9 309.4 1.5 1.780 144.6 322.6 TW20-016 Step Out 385.6 387.1 1.5 3.220 231.7 553.7 TW20-017 DPB 374.9 376.4 3.1 13.962 1070.2 2466.3 Including 376.4 378.0 1.5 26.133 2029.8 4643.1 TW20-017 DPB 440.4 442.0 1.5 2.840 221.9 505.9 TW20-020C Victor 585.2 586.7 1.5 4.750 334.5 809.5 TW20-020C Victor 592.2 593.1 0.9 19.000 1634.4 3534.4 TW20-021C Victor 621.2 624.2 3.0 3.500 435.5 785.5 TW20-021C Victor 621.2 624.2 3.0 3.500 435.5 785.5 TW20-021C Victor 521.5 523.1 1.6 2.050 210.0 415.0 <	TW20-012C	Victor Vein	581.9	583.4	1.5	2.670	223.5	490.5
TW20-016 Step Out 385.6 387.1 1.5 3.220 231.7 553.7 TW20-017 DPB 374.9 376.4 3.1 13.962 1070.2 2466.3 Including 376.4 378.0 1.5 26.133 2029.8 4643.1 TW20-017 DPB 440.4 442.0 1.5 2.840 221.9 505.9 TW20-020C Victor 585.2 586.7 1.5 4.750 334.5 809.5 TW20-020C Victor 592.2 593.1 0.9 19.000 1634.4 3534.4 TW20-021C Victor 621.2 624.2 3.0 3.500 435.5 785.5 TW20-021C Victor 621.2 624.2 3.0 3.500 435.5 785.7 TW20-021C Victor 521.5 523.1 1.6 2.050 210.0 415.0 TW20-024C Victor 573.3 574.7 1.4 3.560 405.0 761.0 <t< td=""><td>TW20-016</td><td>Step Out</td><td>233.2</td><td>234.7</td><td>1.5</td><td>4.840</td><td>5.3</td><td>489.3</td></t<>	TW20-016	Step Out	233.2	234.7	1.5	4.840	5.3	489.3
TW20-017 DPB 374.9 376.4 3.1 13.962 1070.2 2466.3 Including 376.4 378.0 1.5 26.133 2029.8 4643.1 TW20-017 DPB 440.4 442.0 1.5 2.840 221.9 505.9 TW20-020C Victor 585.2 586.7 1.5 4.750 334.5 809.5 TW20-020C Victor 592.2 593.1 0.9 19.000 1634.4 3534.4 TW20-021C Victor 621.2 624.2 3.0 3.500 435.5 785.5 TW20-021C Victor 521.5 523.1 1.6 2.050 131.6 284.7 TW20-024C Victor 521.5 523.1 1.6 2.050 210.0 415.0 TW20-024C Victor 573.3 574.7 1.4 3.560 405.0 761.0 TW20-024C Victor 580.0 582.4 2.4 3.948 364.0 758.8 <tr< td=""><td>TW20-016</td><td>Step Out</td><td>307.9</td><td>309.4</td><td>1.5</td><td>1.780</td><td>144.6</td><td>322.6</td></tr<>	TW20-016	Step Out	307.9	309.4	1.5	1.780	144.6	322.6
Including	TW20-016	Step Out	385.6	387.1	1.5	3.220	231.7	553.7
TW20-017 DPB 440.4 442.0 1.5 2.840 221.9 505.9 TW20-020C Victor 585.2 586.7 1.5 4.750 334.5 809.5 TW20-020C Victor 592.2 593.1 0.9 19.000 1634.4 3534.4 TW20-021C Victor 621.2 624.2 3.0 3.500 435.5 785.5 TW20-022 DPB 474.0 478.6 4.5 1.530 131.6 284.7 TW20-024C Victor 521.5 523.1 1.6 2.050 210.0 415.0 TW20-024C Victor 573.3 574.7 1.4 3.560 405.0 761.0 TW20-024C Victor 580.0 582.4 2.4 3.948 364.0 758.8 TW20-027 DPB 474.0 475.5 1.5 1.650 120.0 285.0 TW20-027 DPB 495.3 507.5 12.2 1.508 146.4 297.2 </td <td>TW20-017</td> <td colspan="2">TW20-017 DPB</td> <td>376.4</td> <td>3.1</td> <td>13.962</td> <td>1070.2</td> <td>2466.3</td>	TW20-017	TW20-017 DPB		376.4	3.1	13.962	1070.2	2466.3
TW20-020C Victor 585.2 586.7 1.5 4.750 334.5 809.5 TW20-020C Victor 592.2 593.1 0.9 19.000 1634.4 3534.4 TW20-021C Victor 621.2 624.2 3.0 3.500 435.5 785.5 TW20-022 DPB 474.0 478.6 4.5 1.530 131.6 284.7 TW20-024C Victor 521.5 523.1 1.6 2.050 210.0 415.0 TW20-024C Victor 573.3 574.7 1.4 3.560 405.0 761.0 TW20-024C Victor 580.0 582.4 2.4 3.948 364.0 758.8 TW20-027 DPB 474.0 475.5 1.5 1.650 120.0 285.0 TW20-027 DPB 495.3 507.5 12.2 1.508 146.4 297.2 TW20-027 DPB 518.2 519.7 1.5 1.090 121.0 230.0 </td <td>Inclu</td> <td>uding</td> <td>376.4</td> <td>378.0</td> <td>1.5</td> <td>26.133</td> <td>2029.8</td> <td>4643.1</td>	Inclu	uding	376.4	378.0	1.5	26.133	2029.8	4643.1
TW20-020C Victor 592.2 593.1 0.9 19.000 1634.4 3534.4 TW20-021C Victor 621.2 624.2 3.0 3.500 435.5 785.5 TW20-022 DPB 474.0 478.6 4.5 1.530 131.6 284.7 TW20-024C Victor 521.5 523.1 1.6 2.050 210.0 415.0 TW20-024C Victor 573.3 574.7 1.4 3.560 405.0 761.0 TW20-024C Victor 580.0 582.4 2.4 3.948 364.0 758.8 TW20-027 DPB 474.0 475.5 1.5 1.650 120.0 285.0 TW20-027 DPB 495.3 507.5 12.2 1.508 146.4 297.2 TW20-027 DPB 518.2 519.7 1.5 1.090 121.0 230.0 TW20-027 DPB 548.6 551.7 3.0 1.545 157.0 311.5	TW20-017	DPB	440.4	442.0	1.5	2.840	221.9	505.9
TW20-021C Victor 621.2 624.2 3.0 3.500 435.5 785.5 TW20-022 DPB 474.0 478.6 4.5 1.530 131.6 284.7 TW20-024C Victor 521.5 523.1 1.6 2.050 210.0 415.0 TW20-024C Victor 573.3 574.7 1.4 3.560 405.0 761.0 TW20-024C Victor 580.0 582.4 2.4 3.948 364.0 758.8 TW20-027 DPB 474.0 475.5 1.5 1.650 120.0 285.0 TW20-027 DPB 495.3 507.5 12.2 1.508 146.4 297.2 TW20-027 DPB 518.2 519.7 1.5 1.090 121.0 230.0 TW20-027 DPB 548.6 551.7 3.0 1.545 157.0 311.5 TW20-027 DPB 548.6 551.7 3.0 1.545 157.0 311.5 <tr< td=""><td>TW20-020C</td><td>Victor</td><td>585.2</td><td>586.7</td><td>1.5</td><td>4.750</td><td>334.5</td><td>809.5</td></tr<>	TW20-020C	Victor	585.2	586.7	1.5	4.750	334.5	809.5
TW20-022 DPB 474.0 478.6 4.5 1.530 131.6 284.7 TW20-024C Victor 521.5 523.1 1.6 2.050 210.0 415.0 TW20-024C Victor 573.3 574.7 1.4 3.560 405.0 761.0 TW20-024C Victor 580.0 582.4 2.4 3.948 364.0 758.8 TW20-027 DPB 474.0 475.5 1.5 1.650 120.0 285.0 TW20-027 DPB 495.3 507.5 12.2 1.508 146.4 297.2 TW20-027 DPB 518.2 519.7 1.5 1.090 121.0 230.0 TW20-027 DPB 548.6 551.7 3.0 1.545 157.0 311.5 TW20-030 DPB 522.7 524.3 1.5 1.350 153.0 288.0 TW20-031C Victor 535.8 538.7 2.9 5.353 545.9 1081.2 <t< td=""><td>TW20-020C</td><td>Victor</td><td>592.2</td><td>593.1</td><td>0.9</td><td>19.000</td><td>1634.4</td><td>3534.4</td></t<>	TW20-020C	Victor	592.2	593.1	0.9	19.000	1634.4	3534.4
TW20-024C Victor 521.5 523.1 1.6 2.050 210.0 415.0 TW20-024C Victor 573.3 574.7 1.4 3.560 405.0 761.0 TW20-024C Victor 580.0 582.4 2.4 3.948 364.0 758.8 TW20-027 DPB 474.0 475.5 1.5 1.650 120.0 285.0 TW20-027 DPB 495.3 507.5 12.2 1.508 146.4 297.2 TW20-027 DPB 518.2 519.7 1.5 1.090 121.0 230.0 TW20-027 DPB 548.6 551.7 3.0 1.545 157.0 311.5 TW20-030 DPB 522.7 524.3 1.5 1.350 153.0 288.0 TW20-031C Victor 535.8 538.7 2.9 5.353 545.9 1081.2 TW20-034 DPB 426.7 428.2 1.5 1.240 94.2 218.2 <tr< td=""><td>TW20-021C</td><td>Victor</td><td>621.2</td><td>624.2</td><td>3.0</td><td>3.500</td><td>435.5</td><td>785.5</td></tr<>	TW20-021C	Victor	621.2	624.2	3.0	3.500	435.5	785.5
TW20-024C Victor 573.3 574.7 1.4 3.560 405.0 761.0 TW20-024C Victor 580.0 582.4 2.4 3.948 364.0 758.8 TW20-027 DPB 474.0 475.5 1.5 1.650 120.0 285.0 TW20-027 DPB 495.3 507.5 12.2 1.508 146.4 297.2 TW20-027 DPB 518.2 519.7 1.5 1.090 121.0 230.0 TW20-027 DPB 548.6 551.7 3.0 1.545 157.0 311.5 TW20-030 DPB 522.7 524.3 1.5 1.350 153.0 288.0 TW20-031C Victor 535.8 538.7 2.9 5.353 545.9 1081.2 TW20-034 DPB 426.7 428.2 1.5 1.240 94.2 218.2 TW20-034 DPB 477.0 478.5 1.5 1.270 137.0 264.0	TW20-022	DPB	474.0	478.6	4.5	1.530	131.6	284.7
TW20-024C Victor 580.0 582.4 2.4 3.948 364.0 758.8 TW20-027 DPB 474.0 475.5 1.5 1.650 120.0 285.0 TW20-027 DPB 495.3 507.5 12.2 1.508 146.4 297.2 TW20-027 DPB 518.2 519.7 1.5 1.090 121.0 230.0 TW20-027 DPB 548.6 551.7 3.0 1.545 157.0 311.5 TW20-030 DPB 522.7 524.3 1.5 1.350 153.0 288.0 TW20-031C Victor 535.8 538.7 2.9 5.353 545.9 1081.2 TW20-034 DPB 426.7 428.2 1.5 1.240 94.2 218.2 TW20-034 DPB 477.0 478.5 1.5 1.270 137.0 264.0 TW20-037 DPB 275.8 278.9 3.0 10.510 1187.5 2238.5	TW20-024C	Victor	521.5	523.1	1.6	2.050	210.0	415.0
TW20-027 DPB 474.0 475.5 1.5 1.650 120.0 285.0 TW20-027 DPB 495.3 507.5 12.2 1.508 146.4 297.2 TW20-027 DPB 518.2 519.7 1.5 1.090 121.0 230.0 TW20-027 DPB 548.6 551.7 3.0 1.545 157.0 311.5 TW20-030 DPB 522.7 524.3 1.5 1.350 153.0 288.0 TW20-031C Victor 535.8 538.7 2.9 5.353 545.9 1081.2 TW20-034 DPB 426.7 428.2 1.5 1.240 94.2 218.2 TW20-034 DPB 477.0 478.5 1.5 1.270 137.0 264.0 TW20-034 DPB 480.0 481.6 1.5 0.978 105.0 202.8 TW20-037 DPB 275.8 278.9 3.0 10.510 1187.5 2238.5	TW20-024C	Victor	573.3	574.7	1.4	3.560	405.0	761.0
TW20-027 DPB 495.3 507.5 12.2 1.508 146.4 297.2 TW20-027 DPB 518.2 519.7 1.5 1.090 121.0 230.0 TW20-027 DPB 548.6 551.7 3.0 1.545 157.0 311.5 TW20-030 DPB 522.7 524.3 1.5 1.350 153.0 288.0 TW20-031C Victor 535.8 538.7 2.9 5.353 545.9 1081.2 TW20-034 DPB 426.7 428.2 1.5 1.240 94.2 218.2 TW20-034 DPB 477.0 478.5 1.5 1.270 137.0 264.0 TW20-034 DPB 480.0 481.6 1.5 0.978 105.0 202.8 TW20-037 DPB 275.8 278.9 3.0 10.510 1187.5 2238.5	TW20-024C	Victor	580.0	582.4	2.4	3.948	364.0	758.8
TW20-027 DPB 518.2 519.7 1.5 1.090 121.0 230.0 TW20-027 DPB 548.6 551.7 3.0 1.545 157.0 311.5 TW20-030 DPB 522.7 524.3 1.5 1.350 153.0 288.0 TW20-031C Victor 535.8 538.7 2.9 5.353 545.9 1081.2 TW20-034 DPB 426.7 428.2 1.5 1.240 94.2 218.2 TW20-034 DPB 477.0 478.5 1.5 1.270 137.0 264.0 TW20-034 DPB 480.0 481.6 1.5 0.978 105.0 202.8 TW20-037 DPB 275.8 278.9 3.0 10.510 1187.5 2238.5	TW20-027	DPB	474.0	475.5	1.5	1.650	120.0	285.0
TW20-027 DPB 548.6 551.7 3.0 1.545 157.0 311.5 TW20-030 DPB 522.7 524.3 1.5 1.350 153.0 288.0 TW20-031C Victor 535.8 538.7 2.9 5.353 545.9 1081.2 TW20-034 DPB 426.7 428.2 1.5 1.240 94.2 218.2 TW20-034 DPB 477.0 478.5 1.5 1.270 137.0 264.0 TW20-034 DPB 480.0 481.6 1.5 0.978 105.0 202.8 TW20-037 DPB 275.8 278.9 3.0 10.510 1187.5 2238.5	TW20-027	DPB	495.3	507.5	12.2	1.508	146.4	297.2
TW20-030 DPB 522.7 524.3 1.5 1.350 153.0 288.0 TW20-031C Victor 535.8 538.7 2.9 5.353 545.9 1081.2 TW20-034 DPB 426.7 428.2 1.5 1.240 94.2 218.2 TW20-034 DPB 477.0 478.5 1.5 1.270 137.0 264.0 TW20-034 DPB 480.0 481.6 1.5 0.978 105.0 202.8 TW20-037 DPB 275.8 278.9 3.0 10.510 1187.5 2238.5	TW20-027	DPB	518.2	519.7	1.5	1.090	121.0	230.0
TW20-031C Victor 535.8 538.7 2.9 5.353 545.9 1081.2 TW20-034 DPB 426.7 428.2 1.5 1.240 94.2 218.2 TW20-034 DPB 477.0 478.5 1.5 1.270 137.0 264.0 TW20-034 DPB 480.0 481.6 1.5 0.978 105.0 202.8 TW20-037 DPB 275.8 278.9 3.0 10.510 1187.5 2238.5	TW20-027	DPB	548.6	551.7	3.0	1.545	157.0	311.5
TW20-031C Victor 535.8 538.7 2.9 5.353 545.9 1081.2 TW20-034 DPB 426.7 428.2 1.5 1.240 94.2 218.2 TW20-034 DPB 477.0 478.5 1.5 1.270 137.0 264.0 TW20-034 DPB 480.0 481.6 1.5 0.978 105.0 202.8 TW20-037 DPB 275.8 278.9 3.0 10.510 1187.5 2238.5	TW20-030	DPB	522.7	524.3	1.5	1.350	153.0	288.0
TW20-034 DPB 477.0 478.5 1.5 1.270 137.0 264.0 TW20-034 DPB 480.0 481.6 1.5 0.978 105.0 202.8 TW20-037 DPB 275.8 278.9 3.0 10.510 1187.5 2238.5		Victor	535.8		2.9			1081.2
TW20-034 DPB 477.0 478.5 1.5 1.270 137.0 264.0 TW20-034 DPB 480.0 481.6 1.5 0.978 105.0 202.8 TW20-037 DPB 275.8 278.9 3.0 10.510 1187.5 2238.5	TW20-034	DPB	426.7	428.2	1.5	1.240	94.2	218.2
TW20-034 DPB 480.0 481.6 1.5 0.978 105.0 202.8 TW20-037 DPB 275.8 278.9 3.0 10.510 1187.5 2238.5		DPB		478.5			137.0	264.0
TW20-037 DPB 275.8 278.9 3.0 10.510 1187.5 2238.5					-			
	TW20-040	DPB	481.6	483.1	1.5	1.960	164.0	360.0

		- ()	- ()					
HOLEID Area		From (m)	To (m)	Length (m)	Au_g/t	Ag_g/t	AgEq_g/t	
TW20-041C Victor		578.2	581.3	3.1	1.884	198.0	386.4	
Inclu	ding	578.2	578.5	0.3	5.500	571.0	1121.0	
TW20-061C	Victor	631.6	650.1	18.5			295.0	
Inclu	iding	631.6	641.0	9.4	1.241	125.0	249.1	
Inclu	ıding	631.6	633.0	1.3	4.350	354.0	789.0	
	ıding	644.0	650.1	6.1	2.743	235.0	509.3	
	iding	648.6	650.1	1.5	9.830	808.0	1791.0	
TW21-054	DPB	400.8	403.9	3.1	4.780	286.0	764.0	
TW21-058 TW21-062	Step Out	317.0	318.5 400.8	1.5 3.1	1.290	94.5 388.0	223.5 1003.0	
	Step Out	397.8 399.3	400.8	1.5	6.150 9.860	568.0	1554.0	
TW21-068	Step Out	385.6	387.1	1.5	1.600	178.0	338.0	
TW21-068	Step Out	410.0	414.5	4.5	6.564	743.0	1399.4	
	iding	411.5	413.0	1.5	16.000	1722.0	3322.0	
TW21-076	DPB	143.2	155.4	12.2	2.538	14.9	268.7	
Inclu	iding	146.3	150.9	4.6	5.372	22.9	560.1	
TW21-077	Victor	599.0	602.0	3.0	3.075	310.0	617.5	
	iding	599.0	600.5	1.5	4.190	443.0	862.0	
TW21-077	Victor	606.5	614.2	7.6	2.139	230.0	444.0	
	iding	609.5	611.1	1.5	4.890	512.0	1001.0	
TW21-079	DPB	201.2	204.2	3.0	1.485	130.1	278.6	
TW21-082	DPB	356.6	365.8	9.1	0.850	135.0	220.3	
	ıding	358.1	359.6	1.5	1.670	278.0	445.0	
TW21-083	DPB	364.2 440.4	365.7 441.9	1.5	2.330	393.0	626.0 264.0	
TW21-083	Victor	594.4	599	4.6	1.5 1.3 137.0 4.6 3.113 275.6		338.9	
	iding	597.4	599	1.6	7.12	577	1289	
TW21-090	Step Out	132.6	134.1	1.5	2.150	67.3	282.3	
TW21-092C	Victor W. Ext.	467.7	469.9	2.2 1.533 140.9			294.2	
Inclu	ıding	467.7	468.7	1.0	2.860	250.0	536.0	
TW21-093C	Victor	494.3	495.1	0.8	0.8 1.930 207.		400.0	
TW21-094C	Victor	527.8	532.2	4.4	1.837	140.8	324.5	
Inclu	ıding	528.2	530.4	2.2	2.2 2.956 226.8		522.4	
TW21-094C	Victor	597.4	598.3	0.9	0.942	117.0	211.2	
TW21-094C	Victor	601.2	601.9	0.7	1.020	117.0	219.0	
TW21-095C	Victor	551.1	552.6	1.5	3.660	376.0	742.0	
TW21-095C	Victor	608.0	608.2	0.2	1.100	152.0	262.0	
TW21-096C	Victor	465.0	466.1	1.1	1.970	126.0	323.0	
TW21-096C	Victor	467.4	468.9	1.5	1.140	118.0	232.0	
TW21-097C	Victor	461.2	467.7	6.5	1.945	261.3	455.8	
Inclu	ding	464.5	466.1	1.6	5.260	655.0	1181.0	
TW21-097C	Victor	469.4	477.5	8.1	1.076	192.9	300.5	
TW21-097C	Victor	488.2	489.9	1.7	3.930	660.0	1053.0	
TW21-097C	Victor	499.3	500.9	1.6	0.917	122.0	213.7	
TW21-099	Step Out	153.9	155.4	1.5	2.280	4.3	232.3	
TW21-099	Step Out	221.0	224.0	3.0	1.161	127.0	243.1	

					<u> </u>			
HOLEID	HOLEID Area Fi		To (m)	Length (m)	Au_g/t	Ag_g/t	AgEq_g/t	
TW21-109	Step Out	553.2	554.7	1.52	2.000	298.0	498.0	
TW21-110	Step Out	260.6	262.1	1.52	2.030	7.5	210.5	
TW21-110	Step Out	341.4	342.9	1.52	1.460	157.0	303.0	
TW21-116	Victor	435.9	437.4	1.52	1.600	187.0	347.0	
TW21-116	Victor	519.7	521.2	1.52	1.490	144.0	293.0	
TW21-116	Victor	538.0	541.0	3.05	1.164	176.5	292.9	
TXC21-001	DPB	439.8	442.9	3.1	1.291	136.1	265.2	
TXC21-002	DPB	514.0	515.1	1.1	3.080	300.0	608.0	
TXC21-004	DPB	504.1	504.7	0.6	1.050	139.0	244.0	
TXC21-005	DPB	362.9	363.4	0.5	0.842	159.0	243.2	
TXC21-005	DPB	371.7	372.1	0.4	5.660	677.0	1243.0	
TXC21-005	DPB	399.0	400.0	1.0	1.300	135.0	265.0	
TXC21-006	DPB	348.7	352.2	3.5	7.281	510.9	1239.0	
Inclu	ding	349.0	349.9	0.9	21.866	1355.0	3541.6	
TXC21-008	DPB	476.4	477.6	1.2	0.684	159.0	227.4	
TXC21-008	DPB	484.2	484.8	0.6	1.820	234.0	416.0	
TXC21-008	DPB	487.2	487.7	0.5	4.210	401.0	822.0	
TXC21-009	DPB	442.6	443.2	0.6	1.180	163.0	281.0	
TXC21-010	DPB	458.6	459.3	0.7	5.610	445.0	1006.0	
TXC21-010	DPB	472.9	475.3	2.4	4.040	301.2	705.1	
TXC21-010	DPB	527.6	528.2	0.6	27.500	1537.0	4287.0	
TXC21-012	DPB	403.4	403.7	0.3	1.900	127.0	317.0	
TXC21-012	DPB	406.5	407.1	0.6	0.904	142.0	232.4	
TXC21-015	DPB	554.7	556	1.3	2.190	260.0	479.0	
TXC21-015	DPB	610.5	611.9	1.4	0.783	120.5	198.8	
TXC21-015	DPB	625.3	626.3	1	2.400	297.0	537.0	
TXC21-016	DPB	477.4	480.7	3.3	2.256	222.7	448.3	
Inclu	ding	477.4	477.9	0.5	5.520	494.0	1046.0	
TXC21-016	DPB	487.2	488.1	0.9	0.761	123.5	199.6	
TXC21-017	DPB	369.7	370.2	0.5	2.610	155.0	416.0	
TXC21-017	DPB	371.2	371.6	0.4	1.020	108.0	210.0	
TXC21-017	DPB	373.4	374.7	1.3	1.217	132.0	253.7	
TXC21-017	DPB	375.5	376.3	0.8	1.550	126.0	281.0	
TXC21-017	C21-017 DPB 377.9 385.3		385.3	7.4	2.003	180.6	380.8	

 $\textbf{BLACKROCKSILVER.COM} \mid \ \mathsf{TSX-V:BRC} \mid \ \mathsf{OTC:BKRRF} \mid \ \mathsf{FSE:AHZO}$

ADDENDUM - SIGNIFICANT INTERCEPTS

BLACKROCK

HOLEID	Area	From (m)	To (m)	Length (m)	Au_g/t	Ag_g/t	AgEq_g/t	HOLEID	Area	From (m)	To (m)	Length (m)	Au_g/t	Ag_g/t	AgEq_g/t
TXC21-026	DPB	359.1	363.2	4.1	9.070	1120.0	2027.0	Inclu		381	382.5	1.5	5.467	487.3	1034.0
	ıding İ	361.2	362.1	0.9	20.850	2994.5	5079.5	TXC21-017	DPB	395.3	396.4	1.1	1.465	148.5	295.0
TXC21-027	DPB	373.7	375.5	1.8	1.168	173.2	290.0	TXC21-017	DPB	397.6	401.1	3.5	2.560	279.2	295.0
TXC21-027	DPB	376.8	377.7	0.9	3.457	315.7	661.3	Inclu	ding	399.6	401.1	1.5	4.950	536.0	1031.0
TXC21-027	DPB	378.2	379.7	1.5	6.500	592.1	1242.1	TXC21-025	DPB	330	330.5	0.5	1.220	152.0	274.0
Inclu	uding	379	379.7	0.7	12.100	1095.0	2305.0	TXC21-025	DPB	333.8	334.1	0.3	3.220	429.0	751.0
TXC21-028	DPB	524.9	526.1	1.2	4.420	68.4	510.4	TXC21-026	DPB	301.1	302.7	1.6	2.500	210.0	460.0
TXC21-030	DPB	446.8	449.9	3.0	1.600	162.5	322.5	TXC21-026	DPB	310	310.3	0.3	1.010	119.0	220.0
TXC21-030	DPB	545.6	545.9	0.3	2.170	244.0	461.0	TXC21-026	DPB	359.1	363.2	4.1	9.070	1120.0	2027.0
TXC21-031	DPB	388.2	388.7	0.5	1.930	229.0	422.0	Inclu		361.2	362.1	0.9	20.850	2994.5	5079.5
TXC21-032	DPB	361.8	363.3	1.5	1.810	190.0	371.0	TXC21-027	DPB	373.7	375.5	1.8	1.168	173.2	290.0
TXC21-035	DPB	396.9	397.2	0.4	4.970	9.5	506.5	TXC21-027	DPB	376.8	377.7	0.9	3.457	315.7	661.3
TXC21-036	DPB	507.5	508.1	0.6	1.480	128.0	276.0	TXC21-027	DPB	378.2	379.7	1.5	6.500	592.1	1242.1
TXC21-036	DPB	604.1	604.7	0.5	0.924	120.0	212.4	IXC21-027		378.2	379.7	0.7	12.100	1095.0	2305.0
TXC21-039	DPB	299.9	300.8	0.91	8.510	850.0	1701.0	TXC21-028	DPB	524.9	526.1	1.2	4.420	68.4	510.4
TXC21-039	DPB	367.3	367.9	0.61	3.200	333.0	653.0	TXC21-020	DPB	488.6	492.1	3.5	2.419	258.3	500.2
TXC21-039	DPB	415.4	416.0	0.58	1.580	156.0	314.0	Inclu	lding	491.0	492.1	1.1	4.370	427.0	864.0
TXC21-039	DPB	417.9	418.7	0.82	1.090	96.8	205.8	TXC21-020	DPB	522.1	524.0	1.8	2.230	141.7	364.7
TXC21-039	DPB	471.4	471.8	0.46	1.070	103.0	210.0	TXC21-020	DPB	524.9	526.2	1.4	1.980	153.0	351.0
TXC21-039	DPB	487.6	488.0	0.34	1.260	109.0	235.0	TXC21-020	DPB	527.2	528.2	1.0	2.543	195.9	450.2
TXC21-040	DPB	544.4	545.1	0.70	1.560	155.0	311.0	TXC21-020	DPB	557.9	558.8	0.9	1.990	161.0	360.0
TXC21-042	DPB	435.9	436.8	0.91	2.730	262.0	535.0	TXC21-020	DPB	608.0	608.4	0.4	4.440	395.0	839.0
TXC21-045	DPB	563.6	564.3	0.73	2.270	380.0	607.0	TXC21-021	DPB	591.8	592.8	1.0	1.500	144.0	294.0
TXC21-045	DPB	565.1	567.1	2.00	3.640	377.3	741.3	TXC21-022	DPB	311.3	311.7	0.4	1.220	126.0	248.0
Inclu	ıding	566.3	567.1	0.79	7.640	741.0	1505.0	TXC21-022	DPB	489.7	490.0	0.3	1.115	152.0	263.5
TXC21-047	DPB	428.9	430.1	1.22	1.710	30.3	201.3								
TXC21-048	DPB	432.2	432.5	0.31	1.390	117.0	256.0	TXC21-023	DPB	388.9	389.5	0.5	1.840	160.0	344.0
TXC21-048	DPB	475.8	476.3	0.55	8.392	875.5	1714.7	TXC21-025	DPB	330	330.5	0.5	1.220	152.0	274.0
Inclu	uding	475.8	476.1	0.31	11.267	1136.0	2262.7	TXC21-025	DPB	333.8	334.1	0.3	3.220	429.0	751.0
TXC22-050	DPB	434.5	435.0	0.46	3.890	812.0	1201.0	TXC21-026	DPB	301.1	302.7	1.6	2.500	210.0	460.0
AgEq_g/t = A	g_g/t + Au_g/	t*100; AuEq_g/			e thickness un	known. NSV =	No significant	TXC21-026	DPB	310	310.3	0.3	1.010	119.0	220.0
	values								1			1			

 $\textbf{BLACKROCKSILVER.COM} \mid \ \text{TSX-V: BRC} \mid \ \text{OTC: BKRRF} \mid \ \text{FSE: AHZO}$