



**TSX-V: JUGR**  
**FSE: 4JE**  
**OTCPK: JUGRF**



**ON TRACK WITH  
DISCOVERY**



# FORWARD LOOKING STATEMENT

This presentation may contain forward-looking statements, including management's assessments of future plans & operations, expectations of future production, cash flow, earnings, property options, TSX approval and closing of a financing. These statements are based on current expectations that involve a number of risks & uncertainties, which could cause actual results to differ materially from those anticipated.

Forward-looking statements may be identified by the use of words such as “believes”, “anticipates”, “expects”, “estimates”, “may”, “could”, “would”, “will”, or “plan”. Since forward looking statements are based on assumptions and address future events and conditions and property options by their very nature they involve inherent risks and uncertainties.

Actual results relating to, among other things, results of exploration, reclamation, capital costs, and the company's financial condition and prospects, could differ materially from those currently anticipated in such statements for many reasons such as but not limited to; changes in general economic conditions and conditions in the financial markets; changes in demand and prices for the minerals the Company expects to produce; litigation, legislative, environmental and other judicial, regulatory, political and competitive developments; technological and operational difficulties encountered in connection with the Company's activities; and changing foreign exchange rates and other matters discussed in this presentation.

Persons should not place undue reliance on the Company's forward-looking statements. Further information regarding these and other factors, which may cause results to differ materially from those projected in forward-looking statements, are included in the filings by the Company with securities regulatory authorities. The Company does not assume any obligation to update or revise any forward looking statement that may be made from time to time by the Company or on its behalf, except in accordance with applicable securities laws, whether as a result of new information, future events or otherwise.


The TSX Exchange has not reviewed and does not accept responsibility for the adequacy or accuracy of the contents of this presentation, that has been prepared by management.

This presentation does not constitute an offer to sell or a solicitation of an offer to buy any securities of the Company in any jurisdiction. Any such offer or solicitation will be made only in accordance with all applicable laws. The common shares of the Company will not be and have not been registered under the United States Securities Act of 1933, as amended, and may not be offered or sold in the United States, or to a U.S. person, absent registration or applicable exemption therefrom.



# CORPORATE OVERVIEW

- Juggernaut Exploration Ltd – **A New Ground Floor Opportunity**
- Focused on Northwestern British Columbia
- **Seasoned Team:** 30 Years of a Proven Track Record of Discovery Culminating in ~1 Billion Dollars of Value
- **Big One (Gold Rich District Scale System located in the Golden Triangle)** – 100 % controlled
- **Midas Property (Eskay-style VMS system)** – 100 % owned
- **Bingo (High Grade Shear Hosted System)** – 100 % owned
- **Rapid Glacial and Snowpack Abatement** resulting in discoveries





# MANAGEMENT AND DIRECTORS

## **Dan Stuart, President & CEO, Director**

- >32 years of capital market experience
- >500 million dollars raised in the natural resource sector
- Founding member and capitalizer of several private mineral syndicates
- J2 creation of **Goliath Resources**, DSM, YCS, B2, and B-All creation of **Juggernaut**
- Institutional clients in both the Americas and Europe

## **William Jung, Director & CFO**

- 35 years of experience in finance and business
- Former chartered accountant involved in management of companies on the TSX
- >25 years experience in the management of companies publicly listed on the TSX

## **Jim McCrea, Director**

- 25 years experience in exploration and mining
- 20 years in mineral resource estimation including Cumberland Resources
- Ore body modelling and resource estimation for the successfully targeted take over company Cumberland Resources Ltd. By Agnico- Eagle Mines Ltd.

## **Chris Verrico, Director**

- >20 years of managing mineral exploration projects in BC, Yukon, Alaska, Nunivut
- Experience as a contractor with extensive northern rural-remote infrastructure construction and contract mining projects

## **Peter Bryant, Director**

- 45 years of experience in international finance and investment banking
- Former director of investment banking with Standard Chartered Group
- Worked for Hill Samuel Group and Guinness Mahon Holding's, two of the prestigious merchant banking house in London, England

## **Dr. Quinton Hennigh**

### Technical Advisor

- World renowned exploration geologist with >30 years of experience with major miners Homestake, Newcrest and Newmont. CHM & President of Novo TSX.V: NVO

## **Bill Chornobay**

### Program Manager

- >30 years proven track record; discoveries resulting in ~1 billion dollars in value.

## **Manuele Lazzarotto, PhD**

### Senior Consulting Geologist

- 8 years experience in the mineral exploration industry taking projects from inception to defined deposits
- Extensive experience in volcanogenic massive sulphide deposits and gold systems.
- Senior member of the team on the Surebet Discovery from inception (Goliath Resources Ltd)



# **BIG ONE NEW GOLD RICH DISTRICT SCALE SYSTEM**


**Located in the prolific Golden Triangle**

[Property Video](#)



## BIG ONE PROPERTY – 100 % CONTROLLED

- **39,271 ha of world-class geologic terrane** in the heart of the Golden Triangle
- **95 % of the property is unexplored**
- Ongoing **rapid glacial and snowpack abatement**
- Strong potential for discovery today and into the future
- Situated in an area **well known for hosting world class precious metal and porphyry deposits** (Galore Creek, KSM, Shaft Creek, Brucejack,...)
- Area favorable to host mineralized deposits:
  - Extensive propylitic alteration
  - Untested geophysical anomalies
  - Strong silt, soil and rock geochemistry including path finder elements directly related to porphyry systems
  - Key structures and textures
  - Porphyry-style mineralization
  - High-grade polymetallic veins
- The project qualifies for the Critical Mineral Exploration Tax Credit (CMETC)








# NEWLY DISCOVERED DRILL READY ELDORADO SYSTEM

(see news release from January 20, 2025 and September 8, 2025)

- **~22 km<sup>2</sup> Gold-silver-copper Eldorado System 7 km x 4 km remains open** exposed in outcrop on the fringes of the snowfields/glaciers at Geology Ridge and Decker Creek Glacier.
- **~3 km<sup>2</sup> Gold Swarm Zone remains open** potentially offset by a major fault
- Grab samples up to **256.60 g/t Au (8.25 oz/t Au)** and **3157 g/t Ag (101.50 oz/t Ag)** (see news release from [January 20, 2025](#), [September 8, 2025](#), [November 10, 2025](#))
- **>500 quartz-sulphide veins and shears up to 50 m wide and >1 km of strike and vertical relief** containing semi-massive to massive chalcopyrite, sphalerite and galena
- **Extensive area of propylitic alteration** covering an area of 4.5 km<sup>2</sup> (4 km by 1 km)
- Presence of a **large mineralizing system or systems at depth** indicated to be the origin of the extensive high-grade gold, silver and copper mineralization confirmed on surface








# BIG ONE GOLD DISCOVERY

## TIP OF THE ICEBERG >500 Gold Rich Veins

### Up to 256.6 g/t Au DRILL READY





(For details, see news release from January 20, 2025, September 8, 2025, November 10, 2025)

## Eldorado System - Big Mac Zone – Drill Ready

- Measures ~1 km by ~1 km
- Consists of multiple large veins with shear zones that are up to 10 meters wide and exposed on surface for >400 meters with vertical reliefs of up to 360 m where they are covered by snow and ice and remain wide open.
- A channel cut from the Big Mac Zone that assayed **6.63 g/t Au over 3.58 meters, including 17.45 g/t Au over 1.35 m and 47.18 g/t Au or 1.52 oz/t Au over 0.47 m, true width**, was collected 5 meters to the east of a grab sample that assayed **up to 111.35 g/t Au**.
- A second channel cut assayed **3.60 g/t Au over 1.45 meters, including 10.17 g/t Au over 0.50 meters** located 270 m west of the 111.35 g/t Au sample.
- A grab sample, located 450 m to the west, assayed **55.5 g/t Au or 1.78 oz/t Au** from a difficult to access secondary vein located in the nearby cliffs.
- 14 out of 26 samples (54%) from the Big Mac Zone assayed > 1 g/t Au. The Big Mac Zone is drill-ready

### [Big Mac Video](#)

| Sample ID | Year | Sample Type | Au (g/t) | Ag (g/t) | Cu (%) | Pb (%) | Zn (%) | AuEq (g/t) |
|-----------|------|-------------|----------|----------|--------|--------|--------|------------|
| M220659   | 2025 | Grab        | 111.35   | 159.00   | 0.02   | 3.88   | 0.01   | 113.92     |
| M220561   | 2025 | Grab        | 55.50    | 38.62    | 0.09   | 2.02   | 0.44   | 56.47      |
| M217807   | 2025 | Channel     | 47.18    | 156.00   | 0.01   | 9.28   | 0.07   | 50.57      |
| D751216   | 2024 | Grab        | 37.98    | 75.50    | 0.24   | 5.72   | 3.93   | 41.46      |
| D750624   | 2025 | Grab        | 21.62    | 45.06    | 0.00   | 2.33   | 0.16   | 22.58      |
| D750625   | 2025 | Grab        | 18.32    | 6.19     | 0.01   | 0.01   | 0.55   | 18.54      |
| M217784   | 2025 | Channel     | 10.83    | 1.88     | 0.00   | 0.00   | 0.04   | 10.87      |
| D750608   | 2024 | Grab        | 10.62    | 3.20     | 0.00   | 0.01   | 0.01   | 10.67      |
| M217785   | 2025 | Channel     | 10.17    | 1.97     | 0.00   | 0.00   | 0.01   | 10.20      |
| D751284   | 2024 | Float       | 6.34     | 47.70    | 0.03   | 6.78   | 0.59   | 8.66       |
| D751435   | 2025 | Grab        | 5.19     | 10.98    | 0.00   | 0.54   | 0.20   | 5.46       |
| M217788   | 2025 | Channel     | 5.15     | 1.29     | 0.01   | 0.01   | 0.00   | 5.17       |
| M217805   | 2025 | Channel     | 4.18     | 2.82     | 0.00   | 0.03   | 0.01   | 4.22       |
| D751285   | 2024 | Grab        | 3.74     | 91.20    | 7.96   | 0.01   | 0.01   | 13.18      |



(For details, see news release from January 20, 2025, September 8, 2025, November 10, 2025)

## Eldorado System - Gold Dome Zone – Drill Ready

- Measures ~3 km by ~1.5 km
- Consists of clusters of multiple extensive gold-rich shear zones, veins, and stockwork that are up to 4 meters wide and exposed on surface for >1 km with a vertical relief of ~600 m and remain open.
- Grab samples assayed **up to 256.60 g/t Au or 8.25 oz/t Au** and a channel cut assayed **5.45 g/t Au over 2.77 meters** from a vein exposed on surface in the adjacent difficult to reach cliff face for ~200 meters.
- The mineralized veins contain seams of semi-massive galena, sphalerite, chalcopyrite and pyrite.
- 46 samples out of 191 (24%) assayed > 1 g/t Au. Multiple targets in the Gold Dome Zone are drill ready.

[Gold Dome Video](#)







| Sample ID | Year | Sample Type | Au (g/t) | Ag (g/t) | Cu (%) | Pb (%) | Zn (%) | AuEq (g/t) |
|-----------|------|-------------|----------|----------|--------|--------|--------|------------|
| M224886   | 2025 | Float       | 256.60   | 546.00   | 0.43   | 0.41   | 0.01   | 263.70     |
| D751423   | 2025 | Grab        | 138.70   | 29.96    | 0.08   | 0.02   | 0.02   | 139.14     |
| M224956   | 2025 | Grab        | 95.04    | 49.60    | 0.02   | 0.02   | 0.01   | 95.67      |
| D751407   | 2025 | Grab        | 68.57    | 115.00   | 0.35   | 1.25   | 6.53   | 72.02      |
| D751424   | 2025 | Grab        | 60.08    | 9.57     | 0.01   | 0.00   | 0.01   | 60.21      |
| D751966   | 2024 | Grab        | 56.54    | 23.30    | 0.03   | 0.02   | 0.03   | 56.84      |
| M217579   | 2025 | Channel     | 34.96    | 415.00   | 0.02   | 21.13  | 0.06   | 43.38      |
| D751156   | 2024 | Grab        | 33.72    | 177.00   | 0.27   | 2.71   | 0.27   | 36.11      |
| M217613   | 2025 | Channel     | 31.68    | 9.40     | 0.16   | 0.00   | 0.10   | 31.96      |
| M224961   | 2025 | Grab        | 31.25    | 13.98    | 0.39   | 0.00   | 0.00   | 31.77      |
| D751402   | 2025 | Grab        | 29.23    | 11.44    | 0.17   | 0.01   | 0.00   | 29.52      |
| D751375   | 2025 | Grab        | 28.47    | 70.39    | 0.15   | 2.43   | 0.40   | 29.94      |
| D751964   | 2024 | Talus       | 23.47    | 110.00   | 1.37   | 0.01   | 0.00   | 26.07      |
| D751357   | 2025 | Grab        | 18.06    | 333.00   | 12.05  | 0.00   | 0.14   | 32.65      |
| D751374   | 2025 | Talus       | 16.60    | 66.43    | 0.38   | 1.82   | 0.60   | 18.17      |
| M224959   | 2025 | Grab        | 15.94    | 16.54    | 0.00   | 0.01   | 0.01   | 16.15      |
| M220602   | 2025 | Grab        | 11.92    | 2.04     | 0.01   | 0.00   | 0.04   | 11.96      |
| M224957   | 2025 | Grab        | 9.65     | 15.14    | 0.03   | 0.18   | 0.48   | 10.00      |
| M224905   | 2025 | Talus       | 9.48     | 646.00   | 5.48   | 0.05   | 0.05   | 22.15      |
| M220601   | 2025 | Grab        | 6.77     | 5.19     | 0.08   | 0.00   | 0.01   | 6.91       |
| D751403   | 2025 | Float       | 6.13     | 14.47    | 0.00   | 0.02   | 0.01   | 6.31       |
| D751158   | 2024 | Grab        | 4.60     | 30.70    | 0.04   | 1.36   | 0.02   | 5.31       |
| D750632   | 2025 | Float       | 4.44     | 20.01    | 0.02   | 0.74   | 0.01   | 4.83       |
| M217608   | 2025 | Channel     | 4.35     | 1.50     | 0.00   | 0.00   | 0.01   | 4.38       |
| M217643   | 2025 | Channel     | 4.35     | 3.99     | 0.01   | 0.01   | 0.04   | 4.42       |
| D751406   | 2025 | Grab        | 4.07     | 12.47    | 0.00   | 0.02   | 0.05   | 4.24       |
| D750621   | 2025 | Grab        | 3.76     | 223.00   | 14.45  | 0.00   | 0.11   | 19.09      |
| M217637   | 2025 | Channel     | 3.63     | 10.25    | 0.03   | 0.53   | 0.59   | 4.00       |
| D750192   | 2024 | Grab        | 3.44     | 220.00   | 6.61   | 0.00   | 0.01   | 12.91      |
| M217727   | 2025 | Channel     | 2.73     | 2.04     | 0.01   | 0.03   | 0.01   | 2.77       |
| M224963   | 2025 | Grab        | 2.63     | 9.40     | 0.09   | 0.08   | 0.01   | 2.84       |
| D751404   | 2025 | Grab        | 2.61     | 1.26     | 0.00   | 0.00   | 0.00   | 2.63       |
| M224851   | 2025 | Chip        | 2.61     | 38.00    | 0.13   | 1.99   | 0.85   | 3.70       |
| M224855   | 2025 | Grab        | 2.23     | 30.34    | 0.03   | 0.95   | 0.20   | 2.83       |
| M224902   | 2025 | Subcrop     | 2.02     | 10.72    | 0.01   | 0.90   | 0.02   | 2.31       |
| M217618   | 2025 | Channel     | 1.94     | 6.23     | 0.00   | 0.00   | 0.01   | 2.02       |
| D751195   | 2024 | Channel     | 1.61     | 38.20    | 0.82   | 1.27   | 0.71   | 3.37       |
| M217724   | 2025 | Channel     | 1.50     | 2.88     | 0.01   | 0.06   | 0.01   | 1.55       |
| M224901   | 2025 | Grab        | 1.46     | 12.66    | 0.02   | 0.22   | 0.01   | 1.66       |
| M217636   | 2025 | Channel     | 1.33     | 12.99    | 0.01   | 0.07   | 0.01   | 1.52       |
| D751251   | 2024 | Grab        | 1.27     | 11.10    | 0.11   | 0.02   | 0.02   | 1.53       |
| D750629   | 2025 | Grab        | 1.23     | 39.89    | 0.15   | 0.00   | 0.58   | 1.99       |
| M224852   | 2025 | Grab        | 1.08     | 50.66    | 0.16   | 0.93   | 0.29   | 2.05       |
| D750852   | 2025 | Subcrop     | 1.07     | 860.00   | 0.01   | 2.12   | 1.32   | 12.20      |
| M224904   | 2025 | Grab        | 1.04     | 187.00   | 0.00   | 0.43   | 0.17   | 3.43       |



(For details, see news release from January 20, 2025, September 8, 2025, November 10, 2025)






All disclosure of a scientific or technical nature was prepared by, or under the supervision of Rein Turna, P.Geo, who is a "Qualified Person" under National Instrument 43-101.





(For details, see news release from January 20, 2025, September 8, 2025, November 10, 2025)





(For details, see news release from January 20, 2025, September 8, 2025, November 10, 2025)

## Eldorado System - Whopper Zone – Drill Ready




- Measures ~2 km by ~2 km
- Consists of multiple veins up to 5 meters wide and extensive shear zones up to 50 meters wide that are exposed on surface for >500 meters with vertical reliefs of up to 780 meters.
- Channel cuts from the Whopper Zone **assayed up to 39.84 g/t Au or 1.28 oz/t Au over 0.50 m within a larger interval that assayed 6.71 g/t Au over 3.06 meters.**
- Multiple grab collected upslope of the channel cut along a 5 meter wide vein hosted in an 8 meter wide shear zone along 50 meters of exposed vein assayed **up to 13.12 g/t Au.**
- The shear zones are difficult to sample due to the exposed cliffs and comprise numerous lenses of semi-massive to massive galena, chalcopyrite, sphalerite and pyrite contained in quartz veins and stockwork and remain open on either side, where they are covered by snow and ice.
- 32 samples out of 158 (20%) assayed > 1 g/t Au. Multiple targets in the Whopper zone are drill-ready

[Whopper Video](#)

| Sample ID | Year | Sample Type | Au (g/t) | Ag (g/t) | Cu (%) | Pb (%) | Zn (%) | AuEq (g/t) |
|-----------|------|-------------|----------|----------|--------|--------|--------|------------|
| D751282   | 2024 | Grab        | 79.01    | 58.90    | 0.13   | 0.43   | 0.80   | 80.08      |
| M217601   | 2025 | Channel     | 39.84    | 333.00   | 0.02   | 0.07   | 0.06   | 43.94      |
| D751163   | 2024 | Float       | 23.97    | 116.00   | 0.02   | 2.16   | 0.13   | 24.53      |
| M217567   | 2025 | Channel     | 17.00    | 461.00   | 0.04   | 0.87   | 0.31   | 22.86      |
| D750394   | 2024 | Grab        | 13.12    | 163.00   | 0.51   | 1.65   | 0.42   | 16.04      |
| D751191   | 2024 | Channel     | 12.12    | 2810.00  | 0.02   | 8.04   | 0.00   | 37.20      |
| D751975   | 2024 | Grab        | 10.62    | 198.00   | 0.00   | 0.77   | 0.01   | 13.10      |
| D751365   | 2025 | Grab        | 9.35     | 566.00   | 0.01   | 25.22  | 0.06   | 20.24      |
| D750389   | 2024 | Grab        | 8.10     | 1420.00  | 1.11   | 0.15   | 2.70   | 26.01      |
| M217571   | 2025 | Channel     | 6.06     | 89.91    | 0.04   | 0.01   | 0.67   | 7.35       |
| D750395   | 2024 | Grab        | 6.01     | 105.00   | 0.01   | 0.06   | 0.09   | 7.42       |
| D750198   | 2024 | Float       | 6.01     | 34.10    | 0.14   | 0.04   | 15.30  | 11.21      |
| D751154   | 2024 | Grab        | 5.72     | 218.00   | 0.22   | 1.81   | 1.34   | 9.20       |
| D751969   | 2024 | Float       | 5.59     | 185.00   | 0.40   | 1.91   | 0.98   | 8.82       |
| D751939   | 2024 | Channel     | 5.06     | 96.30    | 0.00   | 0.05   | 0.03   | 6.10       |
| D751112   | 2024 | Float       | 4.94     | 59.50    | 0.00   | 0.31   | 0.02   | 5.70       |
| M217566   | 2025 | Channel     | 4.40     | 118.00   | 0.02   | 0.13   | 0.22   | 5.93       |
| M217573   | 2025 | Channel     | 4.27     | 16.46    | 0.00   | 0.00   | 0.00   | 4.48       |
| D751943   | 2024 | Grab        | 4.00     | 128.00   | 0.30   | 15.35  | 8.35   | 11.32      |
| D751192   | 2024 | Channel     | 3.39     | 366.00   | 0.01   | 0.11   | 0.00   | 7.68       |
| D751215   | 2024 | Grab        | 2.96     | 102.00   | 0.04   | 0.04   | 2.15   | 4.84       |
| D751699   | 2024 | Grab        | 2.15     | 68.90    | 0.01   | 2.63   | 0.06   | 3.51       |
| D751165   | 2024 | Grab        | 1.95     | 6.80     | 0.00   | 0.01   | 0.01   | 1.99       |
| D751426   | 2025 | Grab        | 1.91     | 1.49     | 0.00   | 0.00   | 0.01   | 1.94       |
| D751213   | 2024 | Float       | 1.65     | 51.40    | 0.02   | 0.31   | 0.02   | 2.41       |
| D751109   | 2024 | Grab        | 1.65     | 89.50    | 0.10   | 0.01   | 0.03   | 2.73       |
| M220559   | 2025 | Grab        | 1.55     | 262.00   | 0.01   | 13.83  | 0.08   | 6.94       |
| D751968   | 2024 | Grab        | 1.49     | 53.50    | 0.01   | 1.68   | 0.13   | 2.55       |
| D751972   | 2024 | Channel     | 1.42     | 47.30    | 0.03   | 3.43   | 0.68   | 2.90       |
| D751993   | 2024 | Grab        | 1.20     | 11.90    | 0.03   | 0.35   | 0.17   | 1.48       |
| D750751   | 2025 | Grab        | 1.16     | 82.41    | 0.03   | 4.01   | 2.80   | 3.48       |
| D750393   | 2024 | Grab        | 1.01     | 41.30    | 0.02   | 1.79   | 0.37   | 1.97       |




(For details, see news release from January 20, 2025, September 8, 2025, November 10, 2025)



All disclosure of a scientific or technical nature was prepared by, or under the supervision of Rein Turna, P.Geo, who is a "Qualified Person" under National Instrument 43-101.



(For details, see news release from January 20, 2025, September 8, 2025, November 10, 2025)





(For details, see news release from January 20, 2025, September 8, 2025, November 10, 2025)

## Gold Swarm Zone – Drill Ready

- The zone has been recently exposed by glacial retreat and covers an area of ~3 km by ~1 km and extends over a vertical relief of 700 m and remains open in all directions.
- Contains clusters of shear zones and veins up to 4.5 meters wide with grab samples that assayed **up to 226.94 g/t Au or 7.30 oz/t Au**
- Channel cut that assayed **4.02 g/t Au over 4.36 m** containing substantial amounts of semi-massive to massive chalcopyrite, galena and sphalerite.
- 27 samples out of 44 (61%) assayed > 1 g/t Au. The Gold Swarm Zone is drill-ready.

### [Gold Swarm Video](#)

| Sample ID | Year | Sample Type | Au (g/t) | Ag (g/t) | Cu (%) | Pb (%) | Zn (%) | AuEq (g/t) |
|-----------|------|-------------|----------|----------|--------|--------|--------|------------|
| M217656   | 2025 | Float       | 226.94   | 335.00   | 0.00   | 4.99   | 0.01   | 231.81     |
| D750642   | 2025 | Grab        | 43.99    | 102.00   | 0.00   | 9.19   | 0.44   | 46.79      |
| D751373   | 2025 | Grab        | 21.44    | 172.00   | 0.07   | 15.92  | 6.21   | 27.59      |
| M224982   | 2025 | Chip        | 21.17    | 20.30    | 0.02   | 0.92   | 0.03   | 21.58      |
| M217705   | 2025 | Channel     | 20.78    | 48.45    | 0.62   | 2.37   | 1.05   | 22.53      |
| M217655   | 2025 | Grab        | 19.64    | 15.34    | 0.00   | 1.37   | 2.93   | 20.74      |
| D750644   | 2025 | Grab        | 18.47    | 12.54    | 0.00   | 0.89   | 0.01   | 18.77      |
| D750639   | 2025 | Grab        | 18.12    | 174.00   | 3.36   | 2.91   | 0.03   | 23.63      |
| M217657   | 2025 | Grab        | 18.11    | 88.95    | 0.00   | 2.08   | 0.01   | 19.53      |
| D750641   | 2025 | Grab        | 15.52    | 55.65    | 0.63   | 1.85   | 0.08   | 17.06      |
| M217852   | 2025 | Channel     | 15.39    | 20.95    | 0.04   | 1.02   | 0.37   | 15.93      |
| M217649   | 2025 | Channel     | 14.96    | 22.24    | 0.41   | 0.64   | 0.95   | 15.92      |
| D750638   | 2025 | Grab        | 14.46    | 621.00   | 0.11   | 54.39  | 0.44   | 30.79      |
| M224983   | 2025 | Grab        | 14.06    | 191.00   | 0.15   | 17.27  | 4.50   | 20.31      |
| M224883   | 2025 | Grab        | 11.07    | 20.98    | 0.03   | 0.01   | 0.00   | 11.36      |
| D751372   | 2025 | Grab        | 7.44     | 16.56    | 0.00   | 0.17   | 0.01   | 7.67       |
| D750643   | 2025 | Grab        | 7.36     | 2.04     | 0.00   | 0.03   | 0.02   | 7.40       |
| M217589   | 2025 | Channel     | 5.81     | 19.08    | 0.35   | 0.37   | 0.28   | 6.48       |
| M224981   | 2025 | Grab        | 5.31     | 13.36    | 0.01   | 0.69   | 0.04   | 5.60       |
| M217648   | 2025 | Channel     | 4.69     | 7.08     | 0.26   | 0.44   | 0.43   | 5.17       |
| M217702   | 2025 | Channel     | 4.30     | 38.77    | 0.58   | 2.16   | 0.10   | 5.64       |
| D751417   | 2025 | Grab        | 3.38     | 46.67    | 0.00   | 0.41   | 0.00   | 4.02       |
| D750704   | 2025 | Grab        | 2.59     | 325.00   | 0.35   | 22.97  | 1.56   | 10.83      |
| M217853   | 2025 | Channel     | 1.75     | 2.88     | 0.00   | 0.02   | 0.06   | 1.81       |
| M217592   | 2025 | Channel     | 1.69     | 10.63    | 0.17   | 0.02   | 0.01   | 1.97       |
| D751371   | 2025 | Grab        | 1.56     | 39.69    | 0.00   | 0.20   | 0.00   | 2.08       |
| M217591   | 2025 | Channel     | 1.17     | 3.78     | 0.06   | 0.04   | 0.03   | 1.28       |
| M217704   | 2025 | Channel     | 1.07     | 1.61     | 0.02   | 0.01   | 0.02   | 1.11       |



(For details, see news release from January 20, 2025, September 8, 2025, November 10, 2025)





All disclosure of a scientific or technical nature was prepared by, or under the supervision of Rein Turna, P.Geo, who is a "Qualified Person" under National Instrument 43-101.





## PORPHYRY SYSTEM ALTERATION AND MINERALIZATION ?


- Large area with within the diorite found to host **epidote-quartz-albite-chlorite-magnetite veins** that in places constitute up to 50% of the host rock, **indicative of porphyry-type magmatic hydrothermal systems**
- The vein assemblages are **typical of propylitic alteration found distal to high-grade potassic cores** of porphyry systems
- **Abundant base metal rich quartz veins** found around the Big One property may be **distal expression of porphyry mineralization**
- Significant **alteration and veining indicative of porphyry-style mineralization** observed at the Big One property





## PORPHYRY FINGERPRINT ?


- **Two areas with porphyry potential** have been identified
- **Distribution of geochemical path finder elements overlaps with strong geophysical anomalies as well as multiple gold-rich polymetallic veins**
- Elevated concentrations of **antimony (Sb), tungsten (W), tellurium (Te), molybdenum (Mo) and bismuth (Bi)**
- Calculated indexes for path finder elements and base metals (Cu, Zn, Pb)
- Indicates the potential for a **large porphyry system** at Eldorado






## NUMEROUS SIMILARITIES BETWEEN BIG ONE AND GALORE CREEK

- ✓ Extensive propylitic alteration zones
- ✓ Porphyry textures
- ✓ Same geologic setting – Stikinia Terrane (~Jurassic Age)
- ✓ Intrusive units (diorite, monzonite)
- ✓ Characteristics N and NE trending structure (associated with mineralization)
- ✓ High-density of polymetallic quartz-sulphide veining
- ✓ High-grade gold-silver hydrothermal and epithermal veins
- ✓ Buried geophysical anomalies
- ✓ Strong pathfinder element distribution as well as metals ratios consistent with porphyry systems



## LASSONDE CURVE – JUNIOR MINER LIFE CYCLE






# The Opportunity, Why Buy ?

Juggernaut's sister company, Goliath, generated 2,400% for investors in 36 months. Participants in their seed placement with a warrant received a 3,500%. Goliath currently has a MCAP of \$500M.

Juggernaut has 30,985,170 shares outstanding.  
Juggernaut has a MCAP of \$31M.

Juggernaut has Crescat Capital / Quinton Hennigh as 19.31% shareholders & technical support.

Juggernaut has \$11,000,000 in Cash and is fully funded to Q2 of 2027 for 10,000 meters of drilling





## SHARE STRUCTURE AS OF Nov 10, 2025

Common shares issued and outstanding: 30,985,170

Fully diluted share capital: 46,713,540 = \$23,285,349

Details of share purchase warrants outstanding on Nov 10, 2025:

| Number of Warrants                  | Exercise Price                       | Expiry Date | Remaining Life (Years) |
|-------------------------------------|--------------------------------------|-------------|------------------------|
| 9,330                               | \$2.50                               | 22-Nov-25   | 1.39                   |
| 1,617,058                           | \$1.20                               | 22-Nov-25   | 1.00                   |
| 150,000                             | \$4.20                               | 09-Mar-26   | 1.69                   |
| 1,209,261.6                         | \$2.50                               | 22-Nov-26   | 2.39                   |
| 140,246                             | \$2.50                               | 05-Dec-26   | 2.43                   |
| 1,754,101                           | \$1.00                               | 06-May-27   | 2.85                   |
| 3,175,735                           | \$1.40                               | 11-Jun-27   | 2.86                   |
| 300,000                             | \$0.90                               | 20-Dec-28   | 4.47                   |
| 11,308,770                          | \$0.75                               | 16-May-30   | 5.00                   |
| <b>Total Warrants</b><br>19,664,502 | <b>Avg. Weighted Price</b><br>\$1.88 |             | <b>2.68</b>            |

Details of stock options outstanding on Nov 10, 2025:

| Options Outstanding               | Exercise Price                       | Expiry Date | Remaining Life (years) |
|-----------------------------------|--------------------------------------|-------------|------------------------|
| 1,050                             | \$2.20                               | 30-Dec-25   | 1.5                    |
| 232,500                           | \$3.60                               | 14-May-26   | 1.88                   |
| 20,000                            | \$2.20                               | 08-Mar-27   | 2.69                   |
| 283,100                           | \$1.60                               | 14-Jun-28   | 3.96                   |
| 103,000                           | \$1.60                               | 01-Dec-28   | 4.42                   |
| 436,050                           | \$1.10                               | 13-Jun-29   | 4.95                   |
| 1,400,000                         | \$0.78                               | June 2035   | 9                      |
| <b>Total Options</b><br>2,475,700 | <b>Avg. Weighted Price</b><br>\$1.87 |             | <b>4</b>               |

## CAPITAL STRUCTURE

- No Debt
- Management, insiders, and accredited investors ~ 70%
- Strong support from institutions
- Crescat Capital 19.13%
- 3 Month VWAP \$1.00 / Shares Traded 4,064,498





## BINGO PROPERTY 100 % OWNED

- 1008 ha in world class geologic setting
- 700 m x 400 m area of strong sulphide mineralization
- **11.42 g/t AuEq over 5.11 m** (7.57 g/t Au, 20.23 g/t Ag, 2.72 % Cu, 0.01 % Pb, 0.1 % Zn) (See News Release from December 12, 2023)
- Strong K-Spar alteration in the northeast indicates proximity to potential porphyry feeder source



Pad 1  
Drill Hole: BI-23-01  
24.39 - 29.50 m  
11.42 gpt AuEq over 5.11 m,  
incl. 19.69 gpt AuEq over 2.90 m.

11.42 gpt AuEq OVER 5.11 m WITH ABUNDANT CHALCOPYRITE AND PYRRHOTITE



| Pad ID | Hole ID  |           | From (m) | To (m) | Interval (m) | Au (g/t) | Ag (g/t) | Cu (%) | Pb (%) | Zn (%) | AuEq (g/t) |
|--------|----------|-----------|----------|--------|--------------|----------|----------|--------|--------|--------|------------|
| Pad 1  | BI-23-01 | Interval  | 24.39    | 29.50  | 5.11         | 7.57     | 20.23    | 2.72   | 0.01   | 0.10   | 11.42      |
|        |          | Including | 25.58    | 28.48  | 2.90         | 13.05    | 34.93    | 4.70   | 0.02   | 0.17   | 19.69      |



BI-24-31 - Pad 7 - **K-Spar alteration from 33.05 m to 184.50**



There is potential for economic recovery of Au, Ag, Cu, Pb, and Zn from these occurrences based on other mining and exploration projects with similar geochemistry in the area (Skeena Resources Eskay Creek, Goliath Resources Golddigger). Here, AuEq values were calculated using 3-year running averages for metal price, and included provisions for metallurgical recoveries, treatment charges, refining costs, and transportation. Recoveries for Au are reported as 92%, Ag 86%, Pb 94%, Zn 96%. It is assumed that Cu can be recovered with the Zn at the same recovery rate of 96%. The quoted reference of metallurgical recoveries is not from JuggerNaut's projects and there is no guarantee that such recoveries will ever be achieved, unless detailed metallurgical work can be eventually completed.



TSX-V: JUGR  
FSE: 4JE  
OTCPK: JUGRF

For additional information on any  
of these properties please contact:

**Dan Stuart**

CEO and President, Director

[Dan@juggernautexploration.com](mailto:Dan@juggernautexploration.com)

**Juggernaut Exploration Ltd**

300 – 1055 West Hastings Street,  
Vancouver, BC V6E 2E9

Telephone: 604-559-8028

Fax: 604-684-6024





## ADDITIONAL INFORMATION

Rein Turna, P. Geo. is the qualified person as defined by National Instrument 43-101, for Juggernaut Exploration Ltd. projects, and supervised the preparation of, and has reviewed and approved, the technical information in this release. Further information regarding Juggernaut's Midas, Bingo, and Big One properties can be sourced online at [www.juggernautexploration.com](http://www.juggernautexploration.com) or by contacting the CEO, Dan Stuart, at 604-559-8028.

All rock, channel, and talus fine samples were crushed and pulverized at ALS Canada Ltd.'s lab in North Vancouver, Terrace, BC, or Reno, Nevada. ALS is either Certified to ISO 9001:2008 or Accredited to ISO 17025:2005 in all of its locations. The resulting sample pulps were analyzed for gold by fire assay in either Reno, Nevada, or Vancouver, BC. The pulps were also assayed using multi-element aqua regia digestion at ALS Canada Ltd.'s lab in Vancouver, BC. The silt samples were sieved and assayed at ALS Canada Ltd.'s lab in Vancouver, BC. The coarse reject portions of the rock, channel, and talus fine samples, as well as the pulps, were shipped to J2 Syndicate's storage facility in Terrace, BC. The silt samples were disposed of after analysis. All samples were analyzed using ALS Canada Ltd.'s assay procedure ME-ICP41, a 1:1:1 aqua regia digestion with inductively-coupled plasma atomic emission spectrometry (ICP-AES) or inductively-coupled plasma mass spectrometry (ICP-MS) finish for 35 elements as well as the Au-AA24 lead-collection fire assay fusion procedure with atomic absorption spectroscopy (AAS) finish. Any results greater than 100 ppm for silver or 10,000 ppm copper, lead, and zinc were additionally assayed using ALS's OG46 method, particular to each element. This method used an HNO<sub>3</sub>-HCl digestion followed by ICP-AES (or titrimetric and gravimetric analysis). Gold values of greater than 10 ppm Au were assayed by the Au-GRA22 method, which includes a fire-assay fusion procedure with a gravimetric finish. Blanks and duplicates were inserted into the channels of the sample laboratory batches for QA/QC samples. Additionally, a 10% sub-sample of pulp and reject material was sent to Activation Laboratories in Ancaster, Ontario, for check-analysis.

The reader is cautioned that grab samples are spot samples, which are typically, but not exclusively, constrained to mineralization. Grab samples are selective in nature and collected to determine the presence or absence of mineralization and are not intended to be representative of the material sampled.